TWO SECTIONS JANUARY, 1934 SECTION 2

S·A·E JOURNAL

Index to Volumes 32 and 33

JANUARY - DECEMBER, 1933

Society of Automotive Engineers, Inc.
Twenty-Nine West Thirty-Ninth Street
New York City

S. A. E. JOURNAL

INDEX TO VOLUMES 32 AND 33, JANUARY-DECEMBER, 1933

Entries preceded by two letters refer to the general editorial section which has a separate series of page numbers for each issue.

Entries not preceded by such letters refer to the Transactions section which has consecutive page numbers throughout Volumes 32 and 33.

The following table indicates the pages contained in each monthly issue:

January Jn 11-16, 1-44, 17-30	May My 9-32, 165-196, 33-36	September Se 13-48, 293-324
February Fe 11-36, 45-72, 37-54	June Je 9-32, 197-228	October Oc 9-52, 325-352
March Mr 11-16, 73-120, 17-26	July Jl 13-32, 229-260	November No 13-36, 353-376, 37-38
April Ap 7-20, 121-164, 21-28	August Ag 13-32, 261-292	December De 13-32, 377-408, 33-34

(D) indicates discussion published; (N) indicates mention in general editorial section; (P) indicates paper published in full.

Author Index

Author	Title of Paper	Page
Ahrens, R. M.	Some Cost-Saving Methods in Motorcoach Upkeep	(P) 71
Alfaro, Heraclio	The Autogiro	(N) Jn 26
Armstrong, Edward R.	Seadromes Defended	(N) De 26
Atkinson, F. R.	Provision of Riding Comfort	(N) Fe 22D (P) 370
Bachman, B. B.	Analysis of Brake-Design Factors Gives Basis for Future Studies	(N) Oc 11 (P) 298
Bannan, T. J.	Gear Design	(N) Jn 24
Barnard, D. P. and E. R., T. H. Rogers, B. E. Shoemaker and R. E. Wilkin	Causes and Effects of Sludge Formation in Motor Oils	(N) Oc 43
Barnard, E. R. and D. P., T. H. Rogers, B. E. Shoemaker and R. E. Wilkin	Causes and Effects of Sludge Formation in Motor Oils	(N) Oc 43
Becker, A. E.	Motor-Oil Viscosity-Classification	(N) Se 38
Becker, A. E. and C. B. Kass	Secondary Reference Standards for Knock Testing	(P) 312
Beecroft, David	Stopping Distance Is Only Sane Yardstick for Defining Brake Capacity	(N) Oc 11 (P) No 22
Belcher, Floyd R.	Welding and Cutting	(N) Mr 21
Best, H. W., C. B. Veal, J. M. Campbell and W. M. Holaday	Antiknock Research Coordinates Laboratory and Road Tests	(N) Fe 26 (P) 105 (D) 104 (D) 187
Biddlecombe, Maj. C. H.	Transcontinental Air Service	(N) De 29
Bitner, F. G., S. A. McKee and T. R. McKee	Apparatus for Determining Load-Carrying Capacity of Extreme-Pressure Lubricants	(N) Oc 43 (P) 402
Bleicher, C. E.	External Broaching	(N) Oc 40
Bogan, R. A. L.	Oil Reclamation	(N) Jn 21
Bower, L. L. and J. B. Fisher	Trends in Tractor-Engine Design	(N) Oc 46
Boyd, Thomas A.	Scientific and Engineering Research in the Automotive Industry	(N) De 29
Bramberry, H. M.	Fewer Oil Changes Seen as Possible	(N) De 30
Brett, Maj. George H.	Military Aviation	(N) Jn 23
Brettel, Clinton	How Economies in Motor-Vehicle Operation Can be Effected	(N) Oc 21
Bridgeman, O. C.	Economy through Fuel Selection	(N) Oc 19
Bridgeman, O. C.	The Effect of Load on Friction in the Region of Thin-Film Lubrication	(N) Fe 27
Bridgeman, O. C. and J. C. Molitor	Temperature Effect on Determination of Gum in Gasoline	(P) 283
Bridgeman, O. C., H. S. White and F. B. Gary	Vapor-Handling Capacity of Automobile Fuel Systems	(N) Fe 26 (P) 157
Brosseau, A. J.	The "Forgotten Man" in Transportation	(N) Se 22
Broulhiet, Georges	Independent Wheel Suspension	(N) Oc 18 (P) 325
Burton, E. P.	Aluminum in Automotive Equipment	(N) No 31
Bushnell, Sherman W.	A Double-Acting Internal-Combustion Engine	(N) Ap 27 (N) Jl 30

Author	Title of Paper	Page
Caldwell, F. W. and F. M. Thomas	Correlation of Propeller and Engine Power with Supercharging	(N) Fe 17 (P) 124
Campbell, J. M., C. B. Veal, H. W. Best and W. M. Holaday	Antiknock Research Coordinates Laboratory and Road Tests	(N) Fe 26 (P) 105 (D) 104 (D) 187
Caquot, M.	Safety in Aviation	(N) Oc 35
Carson, G. B. and L. C. Lichty	Engine Friction Analysis	(N) Oc 42
Cederleaf, Fred W.	Quieter Gears Are Being Demanded! How Shall We Make Them?	(N) Oc 39 (P) 353
Chamberlin, Clarence D.	Transatlantic Air Service	(N) De 26
Chase, Herbert	Pertinent Pokes for Satisfied Engineers	(N) Fe 23 (P) 73
Chesnut, Fred H.	Fleet Problems	(N) No 30
Cohen, Morris	Maintenance of Automotive Equipment	(N) De 30
Collins, R. J.	Maintenance of Automotive Equipment	(N) De 30
Colwell, A. T.	Valve-Seat Inserts	(N) De 28
Compton, Karl Taylor	Types of Research	(N) No 28
Cosford, E. J.	Fluid Transmission System	(N) Fe 50
Crane, H. M.	How Versatile Engineering Meets Public Demand	(N) Jn 25 (P) 21
Crawford, James M.	Engineer's Big Chance Is Here—Will He Take it?	(N) Fe 31
Crouch, George F.	Gold Cup Racing	(N) Mr 22 (N) Oc 14
Dahl, T. R.	Hold of Railroads on Legislatures Cramps Truck Design and Use	(N) Fe 12 (P) Ap 12
Day, David E.	High-Compression Fuel	(N) Jn 26
Dean, M. M.	Research Aids Aluminum Tank and Truck Bodies	(N) Je 32
Denham, Athel F.	American Experience with Independent Wheel Suspension	(N) De 27 De 28
Denham, Athel F.	Future for Low Pressure Tires Gradually Grows Brighter	(N) Fe 22A (P) 138
Dennis, Van W.	Education of Drivers	(N) Jn 21
Devine, Alfred W.	Speed Versus Visibility	(N) My 29
Devine, Robert L.	Analysis of the 1933 Motor-Vehicle Laws	(N) No 30
Dickinson, H. C.	The Functions of the Bureau of Standards	(N) De 27
Dickinson, H. C.	The Mechanics of Recovery	(N) Fe 18 (P) 45
Dickinson, H. C.	The Remedy	(P) Ap 15
Dickinson, H. C.	Why Not Prosper?	(N) My 27
Dobson, D. I.	Modern Malleable Iron	(N) No 30
Dryden, H. L.	Models in Wind Tunnel Test Show Streamlining Benefits	(N) Ag 27
Dundee, Fred	Racing and Motor Development Reviewed	(N) Ag 27
Fahnestock, Murray	Importance of Accuracy in Mass Production	(N) De 28
Fairchild, H. W. and F. M. Thomas	Airplane Flight Testing for Maximum Speed	(N) Fe 16 (P) 78
Fales, Dean A.	Radius Rods for Front Axles	(N) Mr 22
Farrar, E. V. and R. F. Gagg	Altitude Performance of Aircraft Engine Equipped with Supercharger	(N) Oc 29
Faulkner, Fred L.	Automotive Operation and Control	(N) De 26
Faulkner, Roy	The Relationship between Engineering and Selling	(N) Fe 33 (N) My 29
Fedden, A. H. R.	Next Decade's Aero Engines Will Be Advanced But Not Radical	(N) Oc 28 (P) 377
Fenner, David C.	Special Motor-Vehicle Tax Apportionment	(P) 292
Fenner, David C.	What's Wrong with the Laws?	(N) My 29 (N) Je 20
Ferguson, A. R.	Aluminum Alloys in Tank Body Construction	(N) Je 32
Fisher, J. B. and L. L. Bower	Trends in Tractor-Engine Design	(N) Oc 46
Fishleigh, Walter	What Price Standardization?	(N) Fe 22
Fodor, Nicholas	Hydraulics of High-Speed Fuel Injection	(N) Oc 44
Foley, Hamilton	Manufacture and Magnetic Inspection of Hollow-Steel Propellers	(N) Oc 31
Ford, Louis R.	Repair Problems of Marine Diesel Engines	(P) 259
Franzen, Tore	Application of Low-Pressure Tires to Light Cars	(N) Jn 25
Frye, Jack	Aircraft Maintenance on Scheduled Service	(N) Oc 32
Fullerton, Charles	Use of Manual Labor on Trans-Canada Road	(N) De 28

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section (P) indicates paper published in full.

Author	Title of Paper	Page
Gagg, R. F. and E. V. Farrar	Altitude Performance of Aircraft Engine Equipped with Supercharger	(N) Oc 29
Garber, Paul Edward	History of Flying	(N) De 29
Gary, F. B., O. C. Bridgeman and H. S. White	Vapor-Handling Capacity of Automobile Fuel Systems	(N) Fe 26 (P) 157
Gassner, A. A.	High Lifting Power for Airplane Wings	(P) 267
Gassner, A. A.	The Zap Flap	(N) Fe 51 (N) Mr 21
Geare, R. E. S.	Automotive V-Shaped Fan-Belts	(N) Jn 23
Geisse, J. H.	Indirect Air-Cooling of Aviation Engines	(N) Fe 16
Geschelin, Joseph	Economic Status of the Diesel Engine	(N) Ap 27
Geschelin, Joseph	Executive-Factory Liaison Clears Moot Points in Equipment Buying	(N) Oc 38 (P) Se 23 (D) 371
Geschelin, Joseph	Fuel-Oil Supply Ample for Wide Diesel Use	(P) 304
Gherardi, Bancroft	Engineers Serve Mankind Effectively	(N) Fe 32 (P) 103
Graham, Robert C.	Safety Features in Automobiles	(N) My 29
Granville, Z. D.	The Development and Construction of the 1932 Gee Bee Super Sportster	(N) Je 30
Greenhow, M. E.	Progress Made in Alloy Iron	(N) Fe 50
Grunder, Lawrence J.	Road Testing of Motor Fuels	(N) Je 31
Guernsey, Charles O.	Fitting Transit Equipment to Its Best Job	(N) Jn 26 (P) My 16
Hageboeck, A. E.	On Electric-Furnace Cast Iron: Application to Motor Vehicles	(P) 67
Hardy, F. I.	Control of Motor-Vehicle Transport Operations	(D) 87
Hardy, F. I.	Operators Tell How to Fit Truck to Specific Job	(D) 87
Harrington, E. A., S. A. McKee and T. R. McKee	Load-Carrying Capacity of Extreme-Pressure Lubricants	(N) Fe 26 (P) 217
Hazard, Floyd H.	High-Speed Night Driving Made Safer by New Three-Beam Headlamp	(P) Jl 20
Heald, R. H.	Side Winds Abate Performance Gains Hoped for from Streamlining	(P) No 18
Herrington, Arthur W. S.	New Transportation Methods in an Old World	(N) No 31
Herrman, K. L.	Cageless Roller Bearings Develop High Carrying Capacities	(N) Je 32 (P) 275
Hersey, D. S. and A. L. MacClain	Commercial Flight Tests Improved by New Equipment and Methods	(P) 245
Hill, J. R.	Crankcase Oils	(N) Jn 24
Hofmann, Max	Standard Rating Needed for Fuels for High-Speed Oil-Engines	(N) Fe 25 (P) 204
Holaday, W. M.	Service and Laboratory Fuel Testing	(N) Jn 24
Holaday, W. M., C. B. Veal, H. W. Best and J. M. Campbell	Antiknock Research Coordinates Laboratory and Road Tests	(N) Fe 26 (P) 105 (D) 104 (D) 187
Holls, Jack	Piston Rings for High-Speed Engines	(N) Jn 24
Holmstrom, John G.	Refinements in Truck Manufacture	(N) No. 31
Holt, L. T.	Steel Testing	(N) Fe 50
Holtom, Hal	Automotive Milestones from the Structural and Economic Viewpoint	(N) Je 32
Holtom, Hal	The Golden Egg in the Body Builder's Lap	(P) Ag 18
Holzapfel, George L.	Fuels of the Future	(N) De 26
Hook, George T.	Oil-Reclamation Economics	(P) Jn 20
Horine, M. C.	Non-Uniform Regulation by States Creates Truck-Building Riddle	(N) Fe 34 (P) 165
Horner, F. C.	Looking Forward in the Field of Transportation	(N) Oc 13
Horning, H. L.	C. F. R. Makes Report on Alcohol-Blend Fuels	(P) Jl 29
Horning, H. L.	Mastery of Details Brings Progress	(P) 70
Horning, H. L.	Research . . . . As I See It	(P) 33
Horning, H. L.	Successful Valve-Design Considerations	(P) 224
Horning, H. L.	What Executives Think of College Men	(P) 77
Horning, H. L.	What's New at the Automobile Shows	(N) Mr 20
Howe, Russell T.	The Carburetion and Manifolding System of the Pierce-Arrow V-12 Engine	(N) Jn 25
Hunsaker, Dr. J. C.	Airships for Commercial Purposes	(N) Oc 30

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section (P) indicates paper published in full.

Author	Title of Paper	Page
Hutchinson, B. E.	Rail Regulation Fundamentals Not Applicable to Trucks	(P) 274
Hutchinson, B. E.	The Automobile's Place in American Transportation	(N) Fe 24
Israel, Gordon	Design of High-Speed Airplanes	(N) De 30
Jacobs, Eastman N.	The Aerodynamics of Wing Sections for Airplanes	(N) Oc 31
Jardine, Frank	Aluminum in the Automobile Industry	(N) Je 31
Jehle, Ferdinand	Research Results Dominant at Sessions of Fuels and Lubricants Group	(N) Oc 41
Jennings, W. R.	On Electric-Furnace Cast-Iron: Automotive Foundry Classification	(P) 68
Johansson, C. E.	Measuring a Millionth of an Inch	(N) De 28
John, W. E.	Equi-Poise Blade Wheel	(N) Je 30
Johnson, P. G.	Air Industry Gets Speedier Planes, Lower Costs and More Traffic	(N) Oc 32 (P) Se 18
Jordan, Dr. Frank	Relation of the Measurements of Large and Small Distances	(N) De 28
Jordan, Virgil	The Business Outlook and the Automobile Industry	(N) Fe 49
Kass, C. B. and A. E. Becker	Secondary Reference Standards for Knock Testing	(P) 312
Keller, K. T.	Leadership and Labor Are the Twin Problems of Industry	(N) Fe 30 (P) Ap 7
Ketcham, Howard	Three Hundred Colors Can Do the Work of 12,000 Now Demanded by Industry	(P) De 22
Kettaneh, F. A.	Marketing and Servicing Automobiles in the Near East	(N) Fe 49
Kettering, C. F.	Ignorance Sires Argument, "Ket" Says; Simplicity Breeds Understanding	(N) Oc 17 (P) No 13
Keys, Walter C.	Recent Progress Rapid in Design of Automatic Transmissions	(N) Fe 22A (P) 229
Kindl, C. H.	New Features in Shock Absorbers with Inertia Control	(N) Fe 22C (P) 172
Kishline, F. F.	Aluminum Cylinder Heads Urged as Way to Better Design	(N) Fe 23 (P) 121
Kliesrath, Victor W.	Gold Cup Racing	(N) No 28
Knudsen, H. L.	Automotive Diesel Engines	(N) No 28
Kurt, O. E.	An Analysis of Tires and Wheels as Causes of "Tramp"	(N) Jn 26 (P) 191
Kuttner, Julius	Diesel Sessions See Animated Arguments about Performance and Fuels	(N) Oc 44
Kuttner, Julius	Ignition Delay of Diesel Fuels Measured by Bouncing Pin in C.F.R. Engine	(N) Oc 44
Larkin, Elwood T.	Problems of Marine-Engine Cooling	(N) Jn 24
Lautzenhiser, Fred B.	Truck Transportation	(N) No 30
Lay, W. E.	Is 50 Miles per Gallon Possible with Correct Streamlining?	(N) Fe 22 (P) 144 (P) 177 (D) 261
Lay, W. E.	Test Method Data Amplified and Critics Answered	(P) 266
Lemon, B. J.	Super-Balloon Tires	(N) Jn 24 (N) Mr 25
Lewis, Dr. George W.	More Horsepower without Weight Increase Goal Set at Aircraft Engine Sessions	(N) Oc 28
Lewis, Dr. George W.	Research Work at Langley Field	(N) Mr 21
Lewis, John H.	Construction Costs and the Economic Benefits of the Oregon Bonniville Dam	(N) De 30
Lichty, L. C. and G. B. Carson	Engine Friction Analysis	(N) Oc 42
Lohman, Howard A.	Metal Spraying	(N) Mr 21
Macauley, J. B.	Fuel Economy from the Design Standpoint	(N) Oc 22 (P) 408
MacBrayne, Lewis E.	Safety from the Pedestrian's Standpoint	(N) My 29
MacClain, A. L. and D. S. Hersey	Commercial Flight Tests Improved by New Equipment and Methods	(N) Fe 16 (P) 245
MacCoull, Neil	The Effect of Gasoline Volatility on Engine Economy	(N) Oc 22 (P) 363

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section (P) indicates paper published in full.

Author	Title of Paper	Page
MacCoull, Neil	The Relation between Engine Design and Fuel Qualities	(N) Je 31
Manning, N. H.	How to Relate Body Tooling Budgets to Quantity Requirements	(N) Oc 24 (P) 351
Manning, N. H.	Industry Urged to Adjust to Buying Power	(N) Jn 23 (P) Fe 37
Marshall, A. G.	Ignition Characteristics of Diesel Fuels	(N) No 28
Marshall, John	Synthetic Finishes	(N) Jn 23
Martin, A. D.	The Relationship of Fuels to the Automotive Industry	(N) Ag 27
McKee, S. A., F. G. Bitner and T. R. McKee	Apparatus for Determining Load-Carrying Capacity of Extreme-Pressure Lubricants	(N) Oc 43 (P) 402
McKee, S. A., E. A. Harrington and T. R. McKee	Load-Carrying Capacity of Extreme-Pressure Lubricants	(N) Fe 26 (P) 217
McKee, T. R., S. A. McKee and F. G. Bitner	Apparatus for Determining Load-Carrying Capacity of Extreme-Pressure Lubricants	(N) Oc 43 (P) 402
McKee, T. R., S. A. McKee and E. A. Harrington	Load-Carrying Capacity of Extreme-Pressure Lubricants	(N) Fe 26 (P) 217
McKinney, W. F.	Bus Operation in Portland	(N) De 29
McPhail, K. R.	Journal-Bearing Lubrication	(N) Mr 22
Meyer, T. F.	Design of the Propellers for Miss America X	(N) Je 30
Meyer, T. F.	Developments of the Modern Propeller for Speed Boats	(N) Oc 14
Miller, R. A.	The Manufacture of Safety Glass	(N) Je 31
Molitor, J. C. and O. C. Bridgeman	Temperature Effect on Determination of Gum in Gasoline	(P) 283
Morse, R. W.	Autogiro Development	(N) Je 31
Moss, F. A.	Air Conditioning and Relative Refinements for Auto Bodies	(N) Oc 25
Moss, F. A.	New Methods of Measuring Automobile Riding Comfort	(N) Fe 51
Moss, F. A.	Three Low Priced Cars Vary in Riding Comfort	(N) Mr 22C (P) 24
Mougey, H. C.	Extreme Pressure Lubricants	(N) My 31 (P) 196
Musiel, Harry W.	Big Economies Shown by Streamlined Buses	(N) De 29
Nason, F. Alex	Extreme-Pressure Lubricants	(N) De 28
Newton, L. V.	Effecting Economies in Motor-Vehicle Operation	(N) Oc 20
Newton, L. V.	Vehicle Operating Costs Cut by Better Management in Recent Years	(N) Ag 22
Nisley, H. A.	Ordnance Meets Changing Needs of Cavalry and Infantry	(N) Oc 13 (P) Se 32
Northrup, A. E.	Results Gained from Foreign Designs	(N) Fe 22D
Nutt, Arthur	Detonation Rating of Aviation Fuels	(N) Oc 29
Orr, J. M.	Correct Use of Employee-Owned Cars	(P) Fe 38
Orr, J. M.	Predetermined Operating Requirements for Purchasing Equipment	(N) Oc 19
Osman, R. T.	The Development of Hauling and Dumping Equipment	(N) Je 30
Padgett, J. E.	Good Looking Machine Tools Help in Production, Executives Say	(D) My 9
Padgett, J. E.	Some Principles of Low-Cost Tooling	(N) Fe 29 (P) 59 (D) My 9 (D) Ag 22
Pendock, C. W.	What's New at the Road Show	(N) Mr 20
Piersol, James V.	Newspapers Need 10,000 Planes in Next Decade	(P) 164
Pomeroy, L. H.	What Is Wrong with American Cars?	(N) Oc 16 (P) 313
Prescott, Ford L.	High-Output Poppet-Valve Engines	(N) Oc 29
Prescott, Ford L.	Indicators as a Means of Improving Aircraft Engine Performance	(D) 41
Ragsdale, E. J. W.	The Why and How of the Rubber-Tired Railroad-Coach	(N) Fe 15 (P) 54
Rendel, T. B.	European Automotive Diesels	(N) Oc 45

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section (P) indicates paper published in full.

Author	Title of Paper	Page
Rentschler, Harvey C.	Sixty Octaves of Radium Energy	(N) Fe 24
Ricker, Chester S.	Fresh Facts Stream from 500-Mile Racing Grind under Revised Rules	(P) Jl 13
Robertson, D. D.	Hydraulic Action in Piston Ring Design	(N) Oc 41
Roche, J. A.	Airplane Vibrations and Flutter Controllable by Design	(N) Oc 32 (P) 305
Rockoff, Joseph	Evolution of Modern-Rubber Processing	(N) De 28
Rogers, T. H., D. P. and E. R. Barnard, B. E. Shoemaker and R. E. Wilkin	Causes and Effects of Sludge Formation in Motor Oils	(N) Oc 43
Rowse, A. A.	Economical Car Needed	(N) Fe 49
Rumely, V. P.	Accountants Scored, Design Challenged in Sessions of Production Men	(N) Oc 38
Ruthven, Alexander G.	Build Men or Get Out	(P) Ag 13
Sanders, W. E.	Researches on Steels and Forgings	(N) Jn 23
Saunders, Lawrence P.	Oil Temperature Regulation and Engine Cooling	(N) Jn 23
Scaife, A. J.	Highway Transport Taxation	(N) My 29
Scaife, A. J.	Some Phases of Motor-Vehicle Legislation	(N) Jn 25
Scaife, A. J.	The Development of Motor Truck and Motorcoach Equipment	(N) Jn 25
Scaife, A. J.	What Can We Do with the Laws?	(N) Je 22
Schey, Oscar W.	Scavenging by Large Valve-Overlap Increases Power and Economy	(P) 210
Schnauffer, Kurt	Flame Propagation	(N) Oc 29
Schon, Pierre	Summary of 1933 Motor Vehicle Legislation	(N) Oc 13
Schon, Pierre	Uniformity of State Laws	(N) Fe 35
Seghers, J. P.	What You Will Not and Will Get in 1934 Trucks	(N) No 30
Shoemaker, B. E., D. P. and E. R. Barnard, T. H. Rogers and R. E. Wilkin	Causes and Effects of Sludge Formation in Motor Oils	(N) Oc 43
Smalley, Oliver	High-Test Iron	(N) De 30
Smith, Prof. C. W.	Comparative Tests of Pneumatic Tires and Steel Wheels on Farm Tractors	(N) Oc 46
Smith, K. D.	Future Trends in Pneumatic Tires	(N) Fe 51
Smith, R. M.	Canadian Railways Endorse Fair Motor Taxes	(P) 163
Smith, R. M.	Progress in Road Building	(N) De 28
Smith, T. C.	"Cut Fleet Costs, Increase Fuel Economy" Is Transport-Fuel Sessions Theme	(N) Oc 19
Speed, F. R.	Present Trends in Engine and Fuel Design	(N) Ap 26 (P) 156 (N) No 29
Stevens, Capt. Albert W.	Aerial Photography	(N) Je 31
Stewart, J. P.	Oil Consumption	(N) Oc 42
Stout, William B.	Airplanes Point Way for Motor Car	(P) 86
Stout, William B.	Low-Cost Automotive Cars Answer to Rail Passenger Problem	(N) No 31 (P) De 13
Stout, William B.	Misplacing the Center of Gravity	(P) 40 (D) 156
Stout, William B.	Stabilization and Stagnation	(P) 70
Stout, William B.	What the Traveling Public Wants in the Future	(N) Oc 15 (P) 293
Taub, Alex	Famous Bulls by Famous People	(N) De 29
Taub, Alex	Gadget Era Gone	(N) Ap 26
Taub, Alex	Resilient Mountings	(N) Oc 18
Taub, Alex	Service Needs in Field and Factory	(P) 143
Taylor, Lt. Col. Brainerd	Military Theories and Development of Motor Transport	(N) Oc 14
Taylor, C. F.	Bending Moments in the Master Rod of a Radial Aircraft Engine	(P) 91 (P) Je 27
Taylor, C. F.	New Data on the Bending Moment in the Master Connecting-Rod	(P) Je 26 (P) Jl 23
Taylor, M. A.	A New Method of De-Icing Airplane Wings	(N) Je 31
Teetor, Ralph R.	Conformity of Cylinders, Pistons and Rings	(N) Oc 41
Thomas, F. M. and F. W. Caldwell	Correlation of Propeller and Engine Power with Supercharging	(N) Fe 17 (P) 124

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section (P) indicates paper published in full.

Author	Title of Paper	Page
Thomas, F. M. and H. W. Fairchild	Airplane Flight Testing for Maximum Speed	(N) Fe 16 (P) 78
Thomas, Virgil	Motor-Vehicle Tax Situation	(N) Jn 25
Thorne, M. A.	Component Parts of the Pierce-Arrow V-12 Engine	(N) Jn 25
Thorne, M. A.	"Keep Minds Flexible, Improve Quality," Engineers Urged at Car Sessions	(N) Oc 15
Treiber, O. D.	Factors in Automotive Diesel Development	(N) Oc 44
Veal, C. B.	Education—Preparation for or Protection from Life?	(N) My 29 (P) 268
Veal, C. B.	Research Develops Needed Products	(P) 225
Veal, C. B., H. W. Best, J. M. Campbell and W. M. Holaday	Antiknock Research Coordinates Laboratory and Road Tests	(N) Fe 26 (P) 105 (D) 104 (D) 187
Vincent, E. T.	Testing with the Farnboro Electric Indicator	(N) Fe 25
Votypka, John W.	Greater Comfort, Lower Costs Stressed in Session of Body Group	(N) Oc 24
Wada, K.	Aeronautical Research in Japan	(N) Oc 34
Warner, E. P.	Technical Excitement at Aircraft Sessions Equals that of Flying Field Crowds	(N) Oc 30
Warner, John A. C.	S.A.E. International Congress Off to Successful Start	(N) Se 16
Weaver, H. G.	Tuning-in on the Consumer	(N) Oc 10
Wemp, E. E.	Future Clutch Progress Charted from Design A-B-C's	(N) Fe 22A (P) 92
Wentworth, Charles W.	Passenger Car Trends	(N) De 29
White, H. S., O. C. Bridgeman and F. B. Gary	Vapor-Handling Capacity of Automobile Fuel Systems	(N) Fe 26
White, L. T.	Why Waste Fuel Through the Exhaust?	(N) Oc 23
White, R. E.	What Is New in Diesels	(N) No 30
White, S. O.	Can a Transmission Have a Brain?	(P) Je 9 (D) Se 15 (D) Ag 17
Wickenden, Thomas H.	Are Cast Iron Crankshafts Coming on High Speed Engines?	(P) Je 14
Wilkin, R. E., D. P. and E. R. Barnard, T. H. Rogers and B. E. Shoemaker	Causes and Effects of Sludge Formation in Motor Oils	(N) Oc 43
Wilson, R. E.	Recent Developments in the Petroleum Industry	(N) Jn 26
Winchester, J. F.	Engineering Applied to Maintenance in Unique "Servi-center" Building	(P) 197
Winchester, J. F.	Transportation Standards	(N) My 30
Winslow, Charles A.	American Monovalve Diesel Engine	(N) No 28
Winslow, K. T.	The C. F. R. Unit and How to Work It	(N) Jn 24
Wise, Karl M.	Reasons for the Design of the Pierce-Arrow V-12 Engine	(N) Jn 25
Wolf, Austin M.	Striking Engineering Progress Revealed in 1933 Cars	(P) 1
Woolson, H. T.	On Electric-Furnace Cast-Iron: The Designer's View-point	(P) 65
Wright, Paul A.	Modern Air Transportation	(N) De 27, De 28
Young, Clarence M.	Air Transportation System of the United States	(N) Fe 18
Young, Clarence M.	Improved Ground Aids Help to Safe Flying	(N) Ag 21
Zamboni, George A.	Lubrication of Involute Gears	(N) Jn 24
Zeder, Fred M.	Eagerness to Scrap the Obsolete, Key to Engineer's Success	(P) Se 13
Zeder, James C.	Laboratory Organization and Testing	(N) No 29
Zimmerman, O. B.	Trends in Design and Research Results Featured at Tractor Session	(N) Oc 46

Abbreviations Used:

Months of the Year

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

(D) indicates discussion published; (N) indicates mention in general editorial section (P) indicates paper published in full.

Discusser Index

Discusser	Page
Altman, Prof. P.	262
Andress, J. E.	373
Anglada, Joseph A.	243
Banker, Oscar H.	244
Banks, W. F.	91
Barber, J. W.	38
Barnard, D. P.	104
Barnard, S. B.	30
Beall, A. L.	28
Becker, A. E.	189
Best, H. W.	104
Bingaman, J. R.	89
Bolender, A. B.	359
Brettell, Clinton	87, 375
Breuer, J. P.	360
Bridgeman, O. C.	292
Brooks, D. B.	187
Broulhiet, Georges	350
Burkhardt, Otto M.	401
Cederleaf, F. W.	371
Chase, Herbert	30, 40
Crane, H. M.	28, 29, 30, 31, 32
Cummings, H. K.	189
Davis, F. W.	141
Davis, Harold S.	290
Davis, Harvey	37, 38
DeJuhasz, K. J.	42, 255
Draper, C. S.	41
Drummond, R. S.	358, 373
Dubonnet, Andre	348
Franzen, Tore	347
Fuchs, H. O.	349
Gebhardt, E. H.	29
Geschelin, Joseph	360
Hale, J. E.	142
Harrison, R. E. W.	357, 372
Hazzard, Harry I.	156
Hess, S. P.	176
Hewitt, Ashley C.	31
Hewitt, E. R.	39
Hildebrand, H. E.	91
Horine, M. C.	31, 261
Horning, H. L.	40
Huf, H. F.	370
Hunt, J. H.	347
John, W. E.	29
Lay, W. E.	266
Lemon, B. J.	142
Lichty, Prof. L. C.	38
Liebreich, O. P.	32
Litle, Jr., T. J.	349
Lord, J. W.	32
Middleworth, H. V.	88
Miller, Wallace T.	348
Miquelon, P. E.	282
Mock, Frank C.	39
Moss, S. A.	43, 401
Neil, E. B.	29
Oehrli, J. W.	27
Orr, J. M.	87
Padgett, J. E.	373
Peper, W. S.	30
Petters, Sir Ernest	38
Prescott, Ford L.	43
Puffer, S. R.	400
Ransome, S. M.	359
Rastall, W. H.	371
Reid, Prof. Elliott G.	264
Rumely, V. P.	My 9
Sklovsky, Max	375
Smith, T. C.	89
Snowden, B. S.	88
Staub, Charles R.	359
Tanner, H. D.	361
Taylor, E. S.	41
Tenney, Perry L.	362
Upson, Ralph H.	265
Walker, Hubert	27, 30
Walter, Maurice	39
White, S. O.	361
Winchester, J. F.	89
Winter, H. G.	263
Wood, John G.	362
Woodbury, A. C.	32

Subject Index

	Page
A	
Accidents and Accident Prevention	
Aircraft	
Causes	My 13, My 30; 306, 310; Oc 32
Commercial, decrease in	Oc 35
Design factors, safety features	Oc 35
Lighter-than-air, Akron	My 21, My 25; 226; Oc 30
Statistics	My 13
Vibration factor	306, 310; Oc 32
Automotive	
Causes analyzed	76; My 21, My 29; Je 16; Jl 20; 297, 301; Oc 11 Oc 15; No 22, No 26; De 26
Design factors	
Brakes	301; Oc 11; No 22, No 26
Headlighting	Jl 20; No 26
Safety features	76; My 21, My 29
Vision	297; Oc 15
Weight distribution	De 26
Driver responsibility	My 21; Je 16
Pedestrian education as preventive	My 29
Radio effects	76
Time of day as factor	No 26
Motor-truck	
Causes analyzed	Jn 21; 87; Je 16; Oc 21
Driver education as preventive	Jn 21; 87; Je 16
Passenger-car compared with	Ap 14
Air Cleaners, Usage Extent	6
Aircraft Design and Construction	
Airplane Vibrations and Flutter Controllable by Design	305; Oc 32
Technical Excitement at Aircraft Sessions Equals That of Flying Field Crowds	Oc 30
Area	
Control surface	310
Flat plate, speed affected by	80
Army requirements	Jn 23
Aircraft Design and Construction (*Continued*)	
Autogiro	
Improvements in	Je 31
Starter	Je 31
Automotive compared with	70; 86; Ag 19, 263, 265
Biplane, monoplane preferred to	Se 20
Commercial	
Design trends	Se 20; Oc 32
Weight distribution	Se 19, Se 20
Control surface	
Area	310
Balance	309; Oc 32
Vibration factors	309; Oc 32
Weight	310
Design requirements	
Commercial	Se 20; Oc 32
High performance	124; De 30
Efficiency improvement	Mr 21
Fuselage vibration factors	306, 307, 309
Landing Gears	
Retractable	
Usage increase	Oc 35
Vibration reduced by	306
Trends	Se 20
Lift-increasing devices	Fe 51; Mr 21; 267
Lighter-than-air	
Akron history	My 25
Bow elevators for	Oc 30
Makes	
Boeing	Se 19, Se 20
Curtiss	Mr 21
DOX	Mr 21
Gee Bee	Je 30
General	Mr 21
Martin	Mr 21
Northrup	Mr 22
Sikorsky	Mr 21

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Aircraft Design and Construction (*Concluded*)
- Metal, trend toward — Se 20
- Motorboat compared with — Je 30
- Monoplane, advantages over biplane — Se 20
- Multi-engine
  - Engine mounting — Mr 21
  - Trend toward — Se 20
- Naval types — De 30
- Noise reduction means — Se 21
- Production, propellers, metal — Oc 31
- Propellers
  - CORRELATION OF PROPELLER AND ENGINE POWER WITH SUPERCHARGING — Fe 17; 124
  - Aircraft design effects — 124
  - Blade angle measurement — 250
  - Choice of, factors affecting — Fe 17; 124
  - Climb affected by — 135; Se 20
  - Diameter, factors governing — 125
  - Engine design effects — 124
  - Fixed-pitch, power decrease due to — 129
  - Metal production and testing — Oc 31
  - Pitch setting
    - Power affected by — 131, 132
    - Speed affected by — 131, 132
  - Power affected by — 131, 132
  - Reduction gearing
    - Multi-speed merits — 391
    - Usage increase predicted — 386, 394
  - Speed affected by — Fe 16; 78, 80; 128, 131, 132; Se 20
  - Take-off affected by — 135; Se 20
  - Variable-pitch
    - Altitude performance affected by — 127
    - Merits — Se 20; 391, 394
    - Usage increase predicted — Oc 35
- Railcar design patterned on — No 31; De 14
- Research, foreign — Oc 34
- Rigidity
  - Methods of obtaining — 308; Oc 32
  - Vibration affected by — 306
- Safety design features — Oc 35
- Size
  - Commercial trends — Se 20
  - Fuel and oil consumption affected by — Se 20
- Standardization — Jn 18; Mr 18
- Streamlining
  - Automobile compared with — 86; 263, 265
  - Motorboat compared with — Je 30
  - Trends — Se 20
- Testing
  - Weight — 246
  - Wind tunnel — Oc 35
  - Wire tension — 308
- Weight
  - Control surface — 310
  - Distribution — Se 19, Se 20
  - Lowness — 86
  - Reduction importance — 65, 70
  - Speed affected by — 78, 80
  - Testing — 246
- Wings
  - Design developments — Oc 31
  - Flaps — Fe 51; Mr 21; 267
  - Metal and wood compared — 307
  - Structural development — Oc 35
  - Thickness, vibration factor — 306
  - Vibration preventive factors — 306, 307, 309; Oc 35
- Wires
  - Tension testing — 308
  - Vibration preventive factors — 306, 307

(See also Accidents and Accident Prevention, Aircraft; Aircraft Operation and Performance; Aviation and Engines, Aircraft)

Aircraft Operation and Performance
- AIRPLANE VIBRATIONS AND FLUTTER CONTROLLABLE BY DESIGN — 305; Oc 32
- Acceleration — 86
- Airflow around — 305; Oc 35
- Altitude effects
  - Power — 82
  - Speed — 80, 82; 124
- Army vibration study — 305
- Autogiro
  - Operating cost — 164
  - Smoothness — Je 31
  - Speed — Je 31
- Buffeting causes — 306

PAGE

Aircraft Operation and Performance (*Continued*)
- Climb
  - Propeller effects — 135; Se 20
  - Testing — 254
- Control surface lag — 309
- Cost — 164; Se 21; Oc 30
- Drag
  - Boundary layer — 263
  - Lighter-than-aircraft — 265
  - Speed affected by — Fe 16; 78, 80
  - Vibration due to — 305, 306
  - Wing — Oc 31, Oc 32
- Flying-boat trans-oceanic possibilities — Oc 30
- Ice formation — Oc 33
- Landing, wing flap assistance in — Mr 21
- Life increase — Oc 32
- Lift-increasing devices — 267
- Lighter-than-air
  - Airplane compared with — Oc 30
  - Commercial possibilities — Oc 30
  - Drag, boundary layer — 265
  - Operating cost — Oc 30
  - Range — Oc 30
  - Speed — Oc 30
  - Steamship compared with — Oc 30
  - Wind resistance — 265
- Maintenance equipment and methods — Oc 32
- Makes
  - Autogiro — 164; Je 31
  - Boeing — Se 20
  - Fokker — 309
  - Ford — Se 20
  - Lockheed — 164
- Mileage, annual — Se 21
- Payload increase — Se 20, Se 21
- Pilot qualifications — My 30
- Propellers
  - Air discharge requirements — 387
  - Blade deflection, speed affected by — 128
  - Climb performance — 135; Se 20
  - Efficiency factors — 83; Se 20
  - Life — Oc 33
  - Load curves — 128
  - Power absorption curves — 127
  - Power affected by — 130
  - Slipstream, vibration factor — 305
  - Speed affected by — Fe 16; 78, 80; 128, 131, 132; Se 20
  - Speed, limitations on — 387
  - Take-off performance — 135; Se 20
  - Variable-pitch
    - Setting — 134
    - Testing — 254
- Speed
  - Altitude effects — 80, 82; 124
  - Area, flat plate, effects — 80
  - Autogiro — Je 31
  - Cooling affected by — Oc 28; 384
  - Design factors affecting — Fe 16; 78, 80, 83; De 30
  - Drag effects — Fe 16; 78, 80
  - Engine speed relation to — 128, 135
  - Importance of — Se 18, Se 20
  - Increase in — 144; Je 31; Se 18, Se 21; Oc 32
  - Lighter-than-air — Oc 30
  - Power effects — 78, 80, 84
  - Propeller effects — Fe 16; 78, 80; 128, 131, 132; Se 20
  - Standard altitude, reduction to — Fe 17; 82
  - Testing — Fe 16; 78
  - Weight effects — 78, 80
- Take-off
  - Propeller effects — 135; Se 20
  - Testing — 250, 253
- Testing
  - AIRPLANE FLIGHT TESTING FOR MAXIMUM SPEED — Fe 16; 78
  - COMMERCIAL FLIGHT TESTS IMPROVED BY NEW EQUIPMENT AND METHODS — Fe 16; 245
  - Climb — 254
  - Equipment and personnel — 78; 245
  - Flight — Fe 16; 78; 245
  - Instruments — 78; 246
  - Propellers — 250, 254; Oc 31
  - Speed — Fe 16; 78
  - Standard altitude, reduction to — Fe 17; 82
  - Take-off — 250, 253
  - Vibration — 307, 312
  - Wind tunnel — Oc 32, Oc 35
- Vibration
  - Airflow effects — 305; Oc 35
  - Control surface design effects — 309; Oc 32

PAGE

Aircraft Operation and Performance (*Concluded*)
Drag effects 305, 306
Engine mounting effects 308
Failure due to 306, 310; Oc 32
Frequency 305, 306, 307, 310, 311
Propeller slipstream effects 305
Rigidity effects 306
Testing 307, 312
Wings
Drag Oc 31, Oc 32
Load decrease Se 20
(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aviation; Engines, Aircraft and Instruments, Aircraft)

Aluminum and Aluminum Alloys
Body use, motor-truck and tank Je 32
Cylinder heads 3, 29; Fe 23; 121
Engine, aircraft use 393
Extrusion process applied to Je 32
Magnesium compared with **393**
Motor-truck use of 90; Je 32
Pistons
Merits 26, 29; 315
Progress 4
Physical properties 393
Railcar use No 31
Standardization Jn 18; Fe 19; Mr 18

American Standards Association Year Book 223

Army
Automotive
ORDNANCE MEETS CHANGING NEEDS OF CAVALRY AND INFANTRY Se 32; Oc 13
Armored car development Se 35
Combat car development Se 35
Design requirements My 32
Aviation
Aircraft design requirements Jn 23
Aircraft vibration control 305
Mapping Je 31, Je 32
Status Jn 23
Engine design
Air-cooled Se 35, Se 36; Oc 13
Mounting, rear Se 34, Se 35
Engines, aircraft Oc 29
Four-wheel drive use Se 35, Se 36, Se 37
Gun mounts Se 36; Oc 13
Instruments 307
Motor-trucks
Assembled vs. manufactured Oc 14
Half-track Se 36
Life Oc 14
Prime movers Se 37
Standardization Oc 13, Oc 14
Ordnance motor-vehicle requirements Se 32; Oc 13
Quartermaster motor-vehicle requirements My 32
Radio, armored car use Se 35
Six-wheel vehicles Se 36, Se 37
Tanks
Convertible Se 34, Se 35
Rear-engine Se 34
Types described Se 34, Se 35
Testing, tractors Se 37
Tractors
Speed Se 38
Testing Se 37
Tracks, rubber-jointed Se 37

Automobile Design and Construction
HOW VERSATILE ENGINEERING MEETS PUBLIC DEMAND 21
"KEEP MINDS FLEXIBLE, IMPROVE QUALITY," ENGINEERS URGED AT CAR SESSIONS Oc 15
PERTINENT POKES FOR SATISFIED ENGINEERS Fe 12, Fe 23; 83
STRIKING ENGINEERING PROGRESS REVEALED IN 1933 CARS 1
WHAT IS WRONG WITH AMERICAN CARS? 313; Oc 15
WHAT THE TRAVELING PUBLIC WANTS IN THE FUTURE 296; Oc 15
Accessibility increase needed 77
Aircraft compared with 70; 86; Ag 19; 263, 265
Appearance
Streamlining effects 186
Tire effects 138
Armored car Se 35
Army My 32; Se 35

PAGE

Automobile Design and Construction (*Continued*)
Body and chassis unit construction Je 32; Ag 18
Bumper progress 16
Cast iron used in 65
Center of gravity, low
Merits 40; 156
Skidding affected by 40; 73
Commercial requirements Oc 21
Controls
Frame-mounting 16, 32
Simplification 1, 16; 76
Custombuilt 323; Oc 16
Economic conditions affecting Jl 19
Engine mounting, rear
Army use Se 34, Se 35
Engine requirements for 30
Recommendation for Fe 23; 75
Status of My 21
Wind resistance affected by 265
Equipment design progress 17
Foreign
American compared with Fe 22 D; 316; Oc 16
American influenced by Ag 18
English described 313; Oc 16
Frameless Je 32; Ag 18
Improvements needed
Fe 23; 73; 297, 322, 323; Oc 10, Oc 15, Oc 16, Oc 17; No 31
Length, wind resistance affected by 263
Light car
English design features 313; Oc 16
Status of 1; Fe 49; 313, 317
Lowness criticized 31, 40; Fe 23; 73
Lubrication service point reduction 76
Makes
Adler 329
Alfa Romeo 341
Amedée Bollée 341
Auburn 12, 13, 14, 15, 16, 17, 19, 20
Austin 313
Austra-Daimler 347
Beck 342
Buick 11, 13, 14, 15, 16, 17, 18, 19, 20, 26
Cadillac 11, 12, 13, 16, 17, 18, 19, 22, 28
Chevrolet 11, 12, 13, 14, 15, 16, 17, 18, 19, 23; 332
Chrysler 11, 12, 13, 14, 15, 16, 17, 18, 19, 32
Citroen 335
Continental 1, 11, 12, 13, 14, 15
Daimler 313, 347
De Soto 11, 12, 13, 14, 16, 17, 18
DeVaux 13
Dodge 11, 12, 13, 14, 15, 16, 17, 18, 19; 66
Dubonnet 336, 338, 347, 348
Duesenberg 12
Ford 23, 28
Franklin 12, 13, 14, 15
F W D Jl 14
Gauthier 342
Graham 11, 14, 15, 16, 17, 18, 19
Hispano 336
Hudson 11, 12, 13, 14, 15, 17, 18, 19
Hupmobile 12, 13, 14, 15, 18, 19
Lanchester 313, 316
Lancia 333, 336, 338, 342
La Salle 13, 19
Lincoln 17
Lundelius and Eccleston 348
Marmon 17
Miller Jl 14, Jl 18
Nash 12, 13, 14, 17
Oldsmobile 11, 12, 13, 14, 15, 17, 18, 19
Packard 13, 17
Peugeot 335, 336, 338, 339, 340, 341, 342
Pierce-Arrow 11, 12, 13, 14, 17, 18, 19; Mr 20
Plymouth 11, 12, 13, 14, 15, 16, 17, 18, 22, 28
Pontiac 12, 13, 14, 15, 16, 17, 18, 19
Porsche 333, 338, 339
Ram 342
Reo 13
Riley 316
Rockne 13, 14
Sizaire 329, 336, 338, 339, 342
Studebaker 11, 12, 14, 16, 17, 18, 19; Jl 14; 332

Abbreviations Used:

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

Automobile Design and Construction (*Concluded*)
- Stutz 13, 18
- Tatra 347
- Willys 1, 12, 13, 14, 15, 16
- Materials distribution in 66
- Progress 1, 21; Mr 20; De 29
- Racing
  - Design features Jl 14
  - Improvements needed No 31
  - Stock car design affected by Jl 27
- Radio
  - Antenna design and location Je 12
  - Anti-safety aspect 76
  - Grounding No 31
  - Standardization Mr 19; Ap 19; Je 12; No 31
  - Suppresser resistance No 31
  - Testing Je 13
  - Usage extent 17
- Rigidity
  - Independent wheel suspension requirements Oc 18, 331, 340, 341, 347
  - Vibration preventive 332, 340, 347
- Safety design features 76; My 21, My 29
- Selling points Je 17; 295, 322, 323; Oc 15, Oc 16
- Size, public's requirements on 23, 25; 323
- Space distribution, load carrying vs. mechanical parts Fe 23; 74
- Streamlining
  - Differences Between Wind-Tunnel and Road Conditions 261
  - Is 50 Miles Per Gallon Possible with Correct Stream-Lining? Fe 11, Fe 22; 144; 177; 261
  - Aircraft practice compared with 86; 263, 265
  - Air-flow pattern affected by Fe 22 B; 149
  - Appearance 186
  - Cross sectional area as criterion 147; 262, 263, 265, 266
  - Definition Ag 27
  - Design for 186; Je 32; Ag 19
  - Dust wake affected by 147; 264
  - Fuel consumption affected by 185, 186; Jl 15; Ag 27
  - History Ag 27
  - Merits 30, 31; Fe 23; 75
  - Motorboat practice compared with 86
  - Necessity for Mr 20
  - Power saving by 76; Ag 27; 264
  - Public's reaction to Ag 18
  - Side wind effects 261
  - Suggestions for 186; Je 32
  - Tests, wind tunnel Fe 22, Fe 22 B, Fe 28; 149; 177, 179, 185; Ag 27
  - Weight Ag 18
  - Wind resistance decreased by Fe 22 B; 149; 178; 185; Jl 15; 263
- Testing, streamlining Fe 22, Fe 22 B, Fe 28; 149; 177, 179, 185; Ag 27
- Tire effects, super-balloon 26; 138
- Touring type design 296; Oc 15
- Track
  - American and foreign compared 316
  - English light car type 314, 316
- Vision improvement required 73, 76
- Weight
  - American and foreign compared 316
  - Engine displacement relation to 22, 28
  - English light car 314, 316
  - Racing car Jl 14
  - Reduction
    - Necessity for Fe 23; 75; Je 32; Ag 18; 296, 297, 322; Oc 15
    - Possibilities for 65, 70; 86
  - Streamlining effects Ag 18
  - Wind resistance relation to 23
- Wheelbase
  - American and foreign compared 316
  - English light car 314, 316
  - Trends 14

(See also Accidents and Accident Prevention, Automotive; Automobile Operation and Performance; Axles; Bodies; Brakes; Clutches; Engine Design and Construction; Finishes; Foreign Design and Operation; Frames; Gears; Headlighting; Legislation; Motorcoach Design and Construction; Motor-Truck Design and Construction; Production; Riding-Qualities; Shimmy and Tramp; Shock-Absorbers; Six-Wheel Vehicles; Springs, Suspension; Steering Systems; Tires and Rims; Transmissions; Universal Joints and Wheels)

PAGE

Automobile Operation and Performance
- Acceleration
  - American and foreign compared 316
  - Reduction ratio relation to 238
  - Time required for 238
- Cost
  - Data given My 33
  - Reduction necessary Je 32
  - Road type effects 171
- Friction, chassis, amount of Oc 22; 408
- Grade climbing
  - Braking affected by 298, 303
  - Resistance analyzed 148
- Insurance, compulsory 314
- Life De 15
- Lubricants and lubrication
  - Chart Ag 24
  - Equipment for 200, 202
  - Standardization Mr 18; Ap 18; Ag 24; Oc 49
- Maintenance
  - Engineering Applied to Maintenance in Unique "Servicenter" Building 197
  - Cleaning 198
  - Design features affecting 76
  - Equipment 197
  - Replacement units Oc 16
  - Service importance 143, Ap 26
- Makes
  - Buick Jl 13
  - Chrysler Jl 13
  - Citroen 329
  - Duesenberg Jl 13
  - Hudson Jl 13
  - Lanchester 319
  - Miller Jl 13
  - Pontiac 22
  - Studebaker Jl 13
- Power available, speed relation to 148; 183
- Power consumption, streamlining effects 76; Ag 27, 264
- Radio, armored car use Se 35
- Railroad, competition with 295
- Roadability, spring suspension relation to 348, 349
- Rolling resistance
  - Analysis 146
  - Speed relation to 146, 148
- Skidding
  - Center of gravity, low, effects 40, 73
  - Tire effects, super-balloon Fe 22 A; 139
- Speed
  - Deceleration relation to No 25
  - Engine speed relation to 22; 237, 238
  - Fuel consumption relation to Jl 14, 237, 238; 363, 364
  - Increase in 21, 22, 23; Fe 22 A; 144; 185; Jl 20, 239; Ag 27
  - Light car 314, 316
  - Power available relation to 148; 183
  - Power requirements affected by 237, 238
  - Racing Jl 13; Ag 27
  - Reduction ratio relation to 238
  - Rolling resistance relation to 146, 148
  - Safety aspects 322
  - Tire effects, super-balloon 139
  - Tractive resistance relation to 148; 183
  - Vapor-locking relation to 162
  - Wind resistance affected by 86; 144, 148; 178, 181, 185; Oc 23; No 19; 408
- Stability, lateral, suspension relation to 337
- Stability, longitudinal
  - Analysis 336, 347
  - Braking effects on 336, 347
  - Suspension relation to 336
- Street space per passenger My 33
- Taxation
  - Increase unnecessary Jn 25
  - Registration fee basis 292
- Testing
  - Vibration 332
  - Wind resistance
    - Road 179, 185; 261, 262, 264, 265, 266
    - Wind tunnel Fe 22, Fe 22 B; 149; 177, 179, 185; 261, 262, 264, 265, 266
- Tire effects, super-balloon
  - Skidding Fe 22 A; 139
  - Speed 139
  - Traction Fe 22 A, Fe 51; 139, 142
- Traction, super-balloon tire effects on Fe 22 A; Fe 51; 139, 142

PAGE

Automobile Operation and Performance (*Concluded*)
- Tractive resistance
  - Analysis 145
  - Speed relation to 148; 183
- Vibration
  - Measurement 332
  - Preventive methods, design Oc 18, 327, 339, 347
  - Resonance theory Oc 18, 325, 339
  - Rigidity as preventive 332, 340, 347
  - Road relation to 331
- Wind resistance
  - SIDE WINDS ABATE PERFORMANCE GAINS HOPED FOR FROM STREAMLINING No 18
  - Air-flow patterns Fe 22 B; 149; 263
  - Analysis 146
  - Engine effects 261
  - Engine mounting, rear 265
  - Formula for determination of 147
  - Fuel consumption affected by Oc 23; 408
  - Ground effect 147
  - Headlamp effect 376
  - Length relation to 263
  - Radiator design effects 154; 178
  - Road effects 261
  - Rounded edges, effect of 150; 178, 182, 185
  - Size relation to 23; 263
  - Skin-friction 146; 263
  - Side wind effects No 18
  - Speed relation to 86; 144, 148; 178, 181, 185; Oc 23; No 19; 408
  - Streamlining effects Fe 22 B; 149; 178, 185; Jl 15; 263
  - Testing
    - Road 179, 185; 261, 262, 264, 265, 266
    - Wind tunnel Fe 22, Fe 22 B; 149; 177, 179, 185; 261, 262, 264, 265, 266
  - Underbody effects 261, 265
  - Weight relation to 23
  - Wheel effects
    - Housing 151; 178, 182; 265
    - Movement 261
    - Wire and disc compared Je 13, Jl 15
  - Wind speed effects No 19
  - Windshield design effects
    - Flat vs. V 156; 178; 262
    - Slant 154, 156; 178; 262, 263, 266

(See also Accidents and Accident Prevention, Automotive; Automobile Design and Construction; Axles; Bodies; Brakes; Clutches; Engine Operation and Performance; Finishes; Foreign Design and Operation; Frames; Gears; Headlighting; Legislation; Lubricants and Lubrication; Motorcoach Operation and Performance; Motor-Truck Operation and Performance; Racing; Riding-Qualities; Shimmy and Tramp; Shock-Absorbers; Six-Wheel Vehicles; Springs, Suspension; Steering-Systems; Tires and Rims; Transmissions and Wheels)

Automotive Industry
- GLIMPSING AUTOMOTIVE ACHIEVEMENT AT THE CENTURY OF PROGRESS EXPOSITION Se 40
- Civilization influenced by 294
- Financial condition Jl 19
- History Fe 31
- National Recovery Administration Jl 19; Se 15; Oc 13; No 17, 371
- New companies predicted 295; Oc 15
- Sales
  - Design engineers' cooperation with Fe 31, Fe 33; Mr 12; My 29
  - Increase in Je 17
  - Near East conditions Fe 49
  - Prospects for Fe 37; My 29
- Telephone industry compared with Fe 32
- Used motor-truck problem 90

Aviation
- Air conditions affecting, humidity 81; 249
- Air mail rate reduction Se 21; Oc 32
- Aircraft carrier power requirements De 30
- Airports, investment in Se 21
- Airways, Federal development of Fe 18
- Bendix trophy award Oc 34

PAGE

Aviation (*Concluded*)
- Army
  - Aircraft design requirements Jn 23
  - Aircraft vibration control 305
  - Mapping Je 31, Je 32
  - Status Jn 23
- Commercial
  - AIR INDUSTRY GETS SPEEDIER PLANES, LOWER COSTS AND MORE TRAFFIC Se 18; Oc 32
  - Increase in Ag 21, 271
  - Lighter-than-air possibilities Oc 30
  - Mileage My 23; Se 21
  - Newspaper use of 164
  - Operating cost Se 21
  - Radio use in Se 20
  - Rate reduction Se 21; Oc 32
  - Sales appeal Se 18, Se 22
  - Speed
    - Importance of Se 18, Se 20
    - Increase in Se 18, Se 21; Oc 32
  - Transcontinental De 29
  - Trans-oceanic De 26
- Guggenheim, Daniel, medal Ag 16; Oc 33
- Hangar design 245
- Manly Memorial Medal Fe 11, Fe 19
- Mapping, Army Je 31, Je 32
- Races, International Ag 26
- Radio
  - Antenna, trailing, vs. mast Oc 33
  - Commercial use of Se 20
  - Federal development Fe 18
- Seadromes De 26
- Transcontinental, commercial De 29
- Trans-oceanic
  - Commercial De 26
  - Lighter-than-air vs. flying boat Oc 30
  - Seadromes De 26
- Weather reporting, Federal Fe 18
- Wright Brothers Medal Fe 11, Fe 19

(See also Accidents and Accident Prevention, Aircraft; Aircraft Design and Construction; Aircraft Operation and Performance; Engines, Aircraft and Instruments, Aircraft)

Axles
- Bearings, cageless roller 276, 281
- Front
  - Bearings, cageless roller 281
  - Caster practice 13
  - Progress 13
  - Radius rods to replace kick shackles Mr 22
  - Tubular, usage extent 13
- Motorcoach, rear, progress 13
- Motor-truck spacing, road damage affected by 168, 171
- Rear
  - Differential
    - Bearings, cageless roller 276
    - Maintenance 72
  - Frameless car design Ag 20
  - Housing production 62
  - Motorcoach progress 13
  - Progress 12
  - Reduction gear
    - Reduction ratio
      - Fuel consumption affected by Fe 22; 182; Jl 15; Ag 27
      - English light car 314
    - Worm
      - Merits Jn 24
      - Revival 12
  - Two-speed 12
  - Weight reduction 12

B

Bearings
- Axle, front, cageless roller 281
- Ball and roller
  - Axle, front, use of 281
  - Cageless
    - CAGELESS ROLLER BEARINGS DEVELOP HIGH CARRYING CAPACITY Je 32; 275
    - Conventional type compared with 276
    - Dimensional data on 279, 281
    - Friction reduced by 282

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Bearings (*Concluded*)
- Hardness 278, 281
- Heat treatment 278, 281
- History 275, 282
- Life of 276, 279, 281, 282
- Load-carrying capacity Je 32; 276, 279
- Lubrication Je 32; 281
- Production 278, 280, 282
- Raceways 278
- Retainer rings 281
- Speed effects Je 32; 277
- Usage extent Je 32; 276, 279, 281, 282

Differential use of 276
Engine, Diesel, use of Je 32; 276, 279
Machine tool use of 62; Ag 22
Standardization Jn 18; Je 19; Oc 50
Steering system use of 16; 280, 282
Taper, roller, standardization Oc 50
Transmission use of 1, 11; 276
Universal joint use of 279, 282
Differential, cageless roller 276
Engine
- Aircraft, speed relation to load 386
- Connecting-rod big end loads 315
- Diesel, cageless roller Je 32; 276, 279

Friction, temperature effects on Fe 27
Lubrication, thin-film research Fe 27
Metal, aircraft engine requirements 386
Needle, usage extent 1, 11, 12, 16
Steering-system, ball and roller bearings in 16; 280, 282
Temperature effect on friction Fe 27
Transmission, ball and roller bearings in 1, 11; 276
Universal joint
- Cageless roller 279, 282
- Needle 1, 12

Bibliography
Detonation 119
Transmission, automatic 241
Vibration prevention 347

Bodies
GOLDEN EGG IN THE BODY BUILDER'S LAP Je 32; Ag 18
GREATER COMFORT, LOWER COSTS STRESSED IN SESSION OF BODY GROUP Oc 24
Aluminum, motor-truck and tank Je 32
Appearance improvement 17
Chassis unit construction with Je 32; Ag 18
Doors 18, 19; Ag 21
Fenders
- Appearance improvement 17, 18
- Elimination Fe 23; 75

Foreign design 313, 317
Hoods 18; 332
Instrument panels, progress in 17
Insulation progress 19
Lowness criticized 27
Motor-truck
- Aluminum Je 32
- Design requirements Oc 20, Oc 22
- Roll-off merits Oc 22

Progress 17
Radiators
- Appearance improvement 18
- Progress 6
- Wind resistance affected by 154; 178

Railcar
- Construction 58
- Weight 57

Rounded edges, wind resistance decreased by 150; 178, 182, 185
Running boards
- Elimination Fe 23; 75
- Progress 19

Production
- HOW TO RELATE BODY TOOLING BUDGETS TO QUANTITY REQUIREMENTS Oc 24, 351
- Cost factors Oc 24, 351
- Steel Je 32; Ag 19; 352
- Tooling for Oc 24, 351

Seating capacity 317
Seats
- Adjustable 74
- Air and rubber Je 32
- Cushion springs Fe 22 D; 370
- Two vs. three-passenger seats 31

Selling points Fe 22 D
Steel
- Chassis unit construction with Je 32; Ag 18
- Motor-truck Je 32

PAGE

Bodies (*Concluded*)
Production Je 32; Ag 19; 352
Streamlining, progress in 18, 27
Tank, aluminum Je 32
Testing, ventilation Oc 25, Oc 26, Oc 27
Trim, progress in 19
Ventilation
- Air conditioning Oc 24, Oc 25
- Progress in 19, 27
- Testing Oc 25, Oc 26, Oc 27

Vision improvement needed 297; Oc 15
Wheel housings, wind resistance affected by 151; 178, 182
Windshields
- Progress in 19
- Flat vs. V, wind resistance affected by 156; 178; 262
- Slant, wind resistance affected by 154, 156; 178; 262, 263, 266
- Wipers, progress in 17, 19

Bolt and Nut Standardization Jn 18; Fe 19; Mr 18

Brakes
ANALYSIS OF BRAKE-DESIGN FACTORS GIVES BASIS FOR FUTURE STUDIES 298; Oc 11
STOPPING DISTANCE IS ONLY SANE YARDSTICK FOR DEFINING BRAKE CAPACITY Oc 11; No 22
Air, merits 301
Area
- Legislative requirements De 17
- Significance of 302, 303, 304; Oc 11
- Weight relation to 303, 304

Booster, usage extent 13
Braking effort distribution 299, 304; Oc 12
Braking force available 298, 302; Oc 11
Braking rate
- Maximum 299
- Motor-truck 303
- Safety limits on Oc 12; No 25

Controls, two independent
- Legislative requirements for No 23; De 17
- Need for 301

Cooling, need for Oc 12
Design control factors 298
Diameter limitations 300
Disc merits 300
Dragging, fuel consumption affected by Oc 23; 408
Drive shaft merits Oc 12
Drums, progress 13
Equalization importance Oc 12
External-drum merits 300
Foreign legislation De 17
Four vs. two wheel, stopping distance No 24
Functions 301
Grade climbing effect 298, 303
Gun carriage Oc 13
Hand, function of 300; Oc 11, Oc 12; No 24; De 17
Hydraulic
- Merits 301; Oc 12
- Usage extent 13

Improvements needed 76; 297; Oc 16
Inspection, legislative requirements for Oc 11, Oc 12; No 25; No 26
Internal-drum merits 300
Life
- Formula for determination of 303
- Motor-truck 304

Lining
- Standardization Mr 18; De 16
- Wear, heat as cause Oc 12

Linkage, diagonal, usage extent 13
Motorcoach
- Area 304
- Inadequacy No 22, No 25
- Stopping distance, legislative requirements No 24
- Weight relation to 298, 299, 304

Motor-truck
- Area 303, 304
- Braking rate 303; Oc 12; No 25
- Inadequacy No 22, No 25
- Life 304
- Stopping distance, legislative requirements No 24
- Weight relation to 298, 299, 303, 304

Parking, definition of Oc 11, Oc 12; No 25
Pedal pressure
- Legal requirements Oc 11
- Operating requirements 301

Pedal travel requirements 301
Progress 13
Propeller shaft
- Dimensional limits on 300
- Merits 300, 301, 303; Oc 12; No 24

PAGE

Brakes (*Concluded*)
- Rating method formula 302
- Secondary, independent
  - Legislative requirement for No 22, No 23
  - Merits 300, 301; No 22
- Servo
  - Merits 302
  - Usage extent 13
- Stability, longitudinal, affected by 336, 347
- Steering affected by Oc 12
- Stopping distance, legislative requirements Oc 11; No 22, No 24, No 26; De 17
- Testing 201; Oc 11, Oc 12; No 24
- Trailer
  - Legislative requirements Oc 12; No 26
  - Progress 20
- Weight distribution effects 298, 303
- Width
  - Limitations 300
  - Significance of 302, 303

Bureau of Standards
- History De 27
- Lubrication research Fe 27

C

Camshafts
- Cast iron
  - Chemical composition Je 16
  - Merits Je 16
  - Physical properties 4; Je 16
  - Production Je 16
- Production, cast iron Je 16
- Racing engine design Je 17

Carbureters and Carburetion
- Air-fuel mixture ratio
  - Fuel consumption affected by Oc 22, Oc 23; 363, 364, 365, 366, 370
  - Gasoline volatility relation to 365, 370
  - Motor-truck data Oc 21
  - Oil consumption affected by Oc 42
- Air intake silencers 26
- Aircraft
  - Air-intake scoop effect on power 81
  - Air temperature effect on power 81
  - Fuel injection compared with
    - Brake mean effective pressure affected by 212, 213, 215
    - Fuel consumption affected by 212, 213, 215
    - Fuel injection advantages 216; Oc 28; 389
- Choke, automatic 1, 6
- Downdraft
  - Advantages Jn 25
  - Rough running caused by 30
  - Usage extent 6, 24
- Idling adjustment, automatic 1, 6
- Multiple, racing engine use Je 17
- Progress 1, 6, 24
- Temperature control
  - Cold carburetion merits 30
  - Thermostatic 6
- Temperature measurement 249

Chromium plating, Diesel engine piston rod 260

Clutches
- FUTURE CLUTCH PROGRESS CHARTED FROM DESIGN A-B-C'S Fe 11, Fe 22 A; 92
- Automatic
  - Centrifugal
    - Design principles 95
    - Makes described 99; 236, 244
    - Merits 98, 101
  - Conversion to conventional type 97, 100
  - Design requirements Fe 22 B, 95; 318
  - Expanding spring type, makes described 236, 244
  - Fluid coupling
    - Cooling affected by Oc 16
    - Design requirements Fe 22 B, Fe 50; 100
    - Fuel consumption affected by 320
    - Heat dissipation 320
    - Makes described 231; 318
    - Merits 317; Oc 16
    - Motorcoach use 319, 320

PAGE

Clutches (*Concluded*)
- Slip 231; 319
- Torque transmitted 319, 320, 322

Capacity increase Fe 22 A; 93

Controls for
- Air 11
- Vacuum
  - Design requirements Fe 22 B; 101
  - Motor-truck use of 16
  - Pendulum operated 1, 10

Cover plate design 94

Driven-disc design 93, 95

Facings, progress in 93, 94, 95

Lever release type 92

Maintenance 72

Makes
- Bendix 10, 16; 102
- Borg and Beck 93, 100
- Daimler Fe 50; 100; 318
- Hill Engineering Co. 103
- Long 94, 100
- Monodrive 236, 244
- N. A. G. Protos 99
- Powerflo 97, 99
- Salerni 231
- Tyler 232
- Vulcan Sinclair Traction Coupling 100

Motorcoach
- Air control for 11
- Automatic, fluid coupling 319, 320

Motor-truck, vacuum control for 16

Pressure plate, iron vs. steel Fe 22 B; 94, 95

Progress 1, 10; Fe 11, Fe 22 B; 92

Service, increase in 93

Springs, progress in 10

Types Fe 22 A; 92

Connecting-Rods
- Aircraft engine, radial
  - NEW DATA ON THE BENDING MOMENTS IN THE MASTER CONNECTING-ROD 91; Je 26; Jl 23
  - Gas load 91; Je 26, Je 27
  - Master rod, bending moments in 91; Je 26; Jl 23
- Loads on, speed limitation factor 315
- Progress 1, 5

Cooperative Fuel-Research
- Alcohol fuel blend research Je 24; Jl 29
- Crankcase-oil service changes Fe 23
- Detonation testing
  - ANTIKNOCK RESEARCH COORDINATES LABORATORY AND ROAD TESTS Fe 26; 104, 105; 187
  - Aviation gasoline Fe 17; 105; My 32; Je 24; Ag 25; Oc 29
  - Foreign cooperation Oc 51; De 17
  - Laboratory tests Jn 24; Fe 26, Fe 30, Fe 42; 104, 106, 115, 119, 187; Ag 25; De 16
  - Methods approved Fe 30; 119
  - Road tests Jn 24; Fe 26, Fe 30, Fe 42; 107, 120; 187; De 16
- Diesel fuel Fe 42; Oc 44
- Gasoline
  - Gum content Fe 42
    - TEMPERATURE EFFECT ON DETERMINATION OF GUM IN GASOLINE 283
  - Sulphur content Oc 50
  - Volatility, economic 363, 370
- Progress report No 32; De 17
- Value of 37
- Vapor lock research Fe 42; Je 24
  - VAPOR—HANDLING CAPACITY OF AUTOMOBILE FUEL SYSTEMS Fe 26; 157
- World Petroleum Congress, papers at Je 25

Crankcases
- Progress 5
- Ventilation, usage extent 5

Crankshafts
- Aircraft engine
  - Case hardening vs. nitriding 386
  - Steel 386
- Balance
  - Balancers, harmonic, merits 24
  - Progress 5, 24
- Breakage, Diesel 259

Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

PAGE

Crankshafts (*Concluded*)
- Cast Iron
  - ARE CAST IRON CRANKSHAFTS COMING ON HIGH SPEED ENGINES? Je 14
  - Chemical composition Je 14
  - Cost 40; Je 17
  - Physical properties Je 14
  - Possibilities of 4, 31
  - Status of Je 16
  - Steel compared with Je 14
- Diesel engine
  - Breakage 259
  - Vibration prevention 260
- Production, case hardening vs. nitriding 386
- Progress 5, 24
- Steel
  - Aircraft engine 386
  - Cast iron, compared with Je 14
- Vibration, Diesel, prevention 260

Cylinders
- Air-cooled
  - Aircraft engine 385
  - Fin design 385
  - Forged vs. cast 385
- Aircraft engine
  - Air-cooled 385
  - Temperature recommended Fe 16
- Cast iron
  - Chemical composition 66
  - Physical properties 1; 66
- Combustion chamber design
  - Aluminum cylinder-head effects 122
  - Diesel Oc 44
  - F vs. L-head 4
  - L-head merits 4; 314, 315
  - Progress 28
- Diesel engine
  - Combustion chamber design Oc 44
  - Head repair 259
  - Liner wear 259
- Distortion, structural features affecting Oc 41
- Heads
  - Aluminum
    - ALUMINUM CYLINDER HEADS URGED AS WAY TO BETTER DESIGN Fe 23; 121
    - Cast iron compared with 121, 123
    - Compression ratio affected by 3; Fe 24; 121, 123
    - Engine design for 122
    - Engine performance improved by Fe 24; 121
    - Engine weight reduction with 121
    - Merits 29
    - Usage extent 3
  - Cast iron
    - Advantages 29
    - Aluminum compared with 121, 123
  - Forged vs. cast 385
  - Repairing 259
- Maintenance
  - Diesel 259
  - Valve seat rebuilding 71; Mr 21
- Production
  - Forged vs. cast 385
  - Machine tools for 64
- Temperature, engine friction affected by Oc 42
- Valve port openings 3
- Valve seats
  - Angle 225
  - Cooling 3
  - Inserts
    - Cast iron used in 66; 225; De 28
    - Merits 24, 27, 29, 31; 66, 72; De 28
    - Standardization Mr 18
    - Steels, used in 3, 225; De 28
    - Valve seat wear reduced by 66
  - Rebuilding 71; Mr 21
  - Steels used in 3; 225
  - Wear
    - Insert effects 66
    - Metal effects 66

D

Detonation
- Bibliography 119
- Car speed effects 107, 109, 110, 112, 113, 114
- Engine factors
  - Air-fuel mixture temperature Fe 30; 104, 116, 118
  - Aluminum cylinder head 3; 121
  - Combustion chamber design 28

PAGE

Detonation (*Concluded*)
- Compression ratio 190
- Differences between engines shown 104, 109, 110, 112, 114, 119; 188
- Evaluation of 113
- Flame travel length Je 31
- Flame velocity Oc 29
- Gas temperature Oc 17
- Induction temperature Oc 22; 368, 370
- Jacket-water temperature 104, 116, 118
- Octane number requirements 113; 189
- Piston temperature 116
- Scavenging 215
- Speed 104, 116
- Throttling 104, 116
- Valve timing 104, 116

Engine performance affected by 380

Fuel factors
- Alcohol blends Je 29
- Aviation Fe 17; Oc 28; 380
- Butane protane De 27
- Cracking 104
- Diesel Fe 25
- Differences between fuels shown 104, 110, 112, 115, 119
- Improvement Ap 26
- Octane number requirements for current engines 113; 189
- Racing engine requirements Je 18
- Spontaneous ignition temperature Je 31

Suppressers, tetraethyl lead
- Aircraft engine use 215; 380
- Engine corrosion cause 381
- Engine performance affected by 215

Testing
- ANTIKNOCK RESEARCH COORDINATES LABORATORY AND ROAD TESTS Fe 26; 104, 105; 187
- SECONDARY REFERENCE STANDARDS FOR KNOCK TESTING 312
- Aviation gasoline
  - Cooperative Fuel-Research method Fe 17; 105; My 32; Je 24; Ag 25; Oc 29
  - International method proposed Oc 28; 380
- Cooperative Fuel-Research methods
  - Aviation gasoline Fe 17; 105; My 32; Je 24; Ag 25; Oc 29
  - Foreign cooperation Fe 30; 106; Oc 51; De 17
  - Laboratory Jn 24; Fe 26, Fe 30, Fe 42; 104, 106, 115, 119; 187; Ag 25; De 16
  - Road Jn 24; Fe 26, Fe 30, Fe 42; 107, 120; 187; De 16
  - Status of 188
- Diesel fuels, cetene number and critical compression ratio compared 208
- Engine characteristics affecting 113
- Foreign cooperation Fe 30; 106; Oc 51; De 17
- Laboratory, Cooperative Fuel-Research
  - Development Jn 24; Fe 42; 106, 115; Ag 25; De 16
  - Method approved Fe 30; 119
  - Reproducibility checking Ag 25
  - Road test correlation with Jn 24; Fe 26, Fe 42; 104, 107, 116, 118; 187
  - Status of 188
  - Temperature control methods Ag 25
- Rating, maximum knock method 110
- Road, Cooperative Fuel-Research
  - Development Jn 24; Fe 42; 107
  - Grade climbing conditions simulated in Fe 26; 189
  - Laboratory test correlation with Jn 24; Fe 26, Fe 42; 104, 107, 116, 118; 187; De 16
  - Method approved Fe 30; 120
- Standard reference fuels, secondary 312
- Strobophonometer used in Fe 30

E

Economics
- THE MECHANICS OF RECOVERY Fe 11, Fe 18, Fe 28, 45; Mr 13
- THE REMEDY Ap 15
- Basic postulates of economic system 45
- Capital goods and business balance needed 46, 47
- Debts as depression cause 49
- Depressions
  - Causes 47
  - Relief plan proposed 50; Ap 15
  - Research as aid in 225
  - Similarity of Fe 32
- Income
  - Distribution 46, 50
  - National, unemployment effect on Fe 28, 49, 51; Ap 15; Oc 16
- National Recovery Administration Jl 19; Se 15; Oc 13; No 17, 371
- Prosperity, conditions for Fe 28, 48, Fe 49; Ap 15; No 15
- Research necessary 39

PAGE

Economics (*Concluded*)
Taxation
Capital stock value rise 52
Non-selective income 51
Sales Ap 16
Technocracy's defects Fe 49
Terms defined 53
Unemployment, national income affected by Fe 28, 49, 51; Ap 15; Oc 16
(See also Legislation, Taxation and Production, Labor Problem)
Education
EDUCATION—PREPARATION FOR OR PROTECTION FROM LIFE My 29; 225; 268
College
Enrollment increase 270
Industrial value of 77
Research 38
Cooperative, value of No 14
Curriculum for 272; No 14
Function of My 29; 268
Fundamental teaching needed in 272; No 14
Value of 272; No 14
Electric Propulsion, Motor-Trucks
Door-to-door delivery 20; Oc 21
Makes
Walker 20
Ward 20
Engine Design and Construction
HOW VERSATILE ENGINEERING MEETS PUBLIC DEMAND 21
STRIKING ENGINEERING PROGRESS REVEALED IN 1933 CARS 1
Aluminum used in 3, 4, 26, 29; Fe 23; 121; 315
Bore-stroke ratio, short stroke merits 23, 27, 28, 29
Cast iron used in 1, 4, 26, 29, 31, 40; 66; 67; Je 14
Compression ratio
Aluminum cylinder head effects 3; Fe 24; 121, 123
Fuel consumption affected by Ap 27; 364, 367, 369, 370; 408
High, advantages of Je 31
Limitations on Je 31; No 29; De 26
Power affected by 367, 369, 370
Racing engine Jl 17
Trends 1; 156, Ap 26
Cooling
Air
Army use of Se 35, Se 36; Oc 13
Future predicted 297; Oc 16
Merits 31
Blower power consumption Oc 13
Fan
Belt and pulley standardization Mr 18
Blade spacing, uneven 6
Thermostatic control of 32
Liquid, high temperature, merits 31
Progress 5
Pumps, progress in 6
Radiators, progress in 6
Thermostatic control 5, 32
Valve and valve seat 3; 224
Cylinder types
Eight cylinder, trend toward 26, 28, 30
Four cylinder, usage extent 1
Horizontal merits 22, 30; 75
In-line
Torque reaction 23, 27
V compared with 23, 27, 29, Jn 25
Number of cylinders
Economy affected by 27
Increase in 22, 23, Jn 25
Induction temperature control affected by 27
Torque reaction affected by 23, 25
V type
In-line compared with 23, 27, 29, Jn 25
Torque reaction 23, 27
Unconventional praised 76
Details, importance of 70
Displacement increase Ap 26
Double-acting type, design and operation Ap 27; Jl 30
Exhaust
Manifolds, progress in 7
Mufflers
Power affected by 32
Progress in 7, 26

PAGE

Engine Design and Construction (*Continued*)
Flywheel, fluid Fe 50; 100; 231; 317; Oc 16
Foreign and American compared 316
Front-end drive
Celoron used in 4
Chain pitch 32
Fuel-supply systems
Fuel pump systems
Electric 7
Vapor-locking temperature 158
Vapor pressure permissible 160
Gasoline tanks 7
Gravity systems
Vapor-locking temperature 158
Vapor pressure permissible 160
Vacuum tank systems
Vapor-locking temperature 158
Vapor pressure permissible 160
Vapor locking tendencies, systems compared 158
Improvements needed 75
Length increasing 28
Light-car type 314
Lubrication
Oil filter, usage extent 5
Progress 5
Temperature regulator 5
Makes
Auburn 5, 6, 7, 9
Buick 1, 5, 6, 7, 8, 9; Jl 14
Cadillac 1, 5, 6, 9, 25, 26, 29
Chevrolet 1, 3, 4, 5, 6, 7, 8, 9
Chrysler 1, 3, 4, 5, 6, 7, 8, 31; Jl 14
Continental 1, 4, 9
Cooper Jl 14
De Soto 1, 6, 7
Dodge 1, 3, 4, 5, 6
Duesenberg 1, 6; Jl 14, Jl 17
Ford 5, 29
Franklin 3, 4, 5, 6; Se 35
Graham 1, 3, 6, 8, 9
Hedges Ap 27; Jl 30
Hudson 1, 3, 4, 5, 6, 9; Jl 14, Jl 17
Hupmobile 3, 5
La Salle 1
Lencki-Madis Jl 14
Marmon Jl 14
Miller Jl 14, Jl 17
Oldsmobile 1, 5, 6, 7, 9
Packard 3, 6
Pierce-Arrow 1, 3, 5, 6, 7, Jn 25
Plymouth 1, 3, 4, 5, 6, 8, 25, 31
Pontiac 1, 3, 4, 5, 6, 7, 8, 9, 25, 28, 29, 32
Reo 4, 6
Rockne 4
Studebaker 1, 4, 6, 7; Jl 14
Stutz 5
Willys 1, 3, 4, 5, 7, 9
Mounting
Flexible Oc 18, 348
Floating power 9, 25, 31
Progress 9
Rear
Armored car use Se 35
Problems involved in 30
Recommendation for Fe 23; 75
Status of My 21
Tank use Se 34
Wind resistance affected by 265
Rubber 9; Oc 18, 348
Under floor Fe 23; 75
Production
Accuracy increase 5, 24
Difficulties in 24, 29
Progress 1, 21
Racing 156, Ap 26; Jl 14, Jl 17
Rigidity, necessity for 22, 23, 29
Size
Foreign and American compared 313, 316
Vehicle capacity and weight relation to 22, 28
Specifications 1
Starters, accelerator-pedal control 1, 7
Streamlining effects 30

Abbreviations Used:

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

Engine Design and Construction (*Concluded*)
- Two-stroke cycle possibilities 30; 76
- Weight, aluminum cylinder head effects 121

(See also Air Cleaners; Bearings; Camshafts; Carbureters and Carburetion; Connecting-rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Operation and Performance; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-truck; Engines, Oil; Engines, Railcar; Engines, Tractor; Foreign Design and Operation; Governors; Ignition; Induction; Pistons; Springs, Valve; and Valves and Valve-Gear)

Engine Operation and Performance
- Acceleration
  - Fuel consumption affected by 408
  - Gasoline volatility effects Oc 22; 363, 364, 370
- Brake mean effective pressure, increase in 22; Ap 26
- Carbon formation
  - Causes My 30
  - Cylinder head, aluminum, effects Fe 24; 122
- Cold weather operation, oil viscosity requirements Ag 24; Oc 49; No 38
- Cooling
  - Blower power consumption Oc 13
  - Cylinder head, aluminum, effects Fe 24; 122
  - Clutch effects, fluid coupling Oc 16
  - Fan, power consumed by 32
  - Oil consumption affected by Oc 42
- Depreciation, Diesel and Otto cycle compared 304
- Efficiency, volumetric, increase 156, Ap 26
- Exhaust gas analysis function Oc 23
- Friction
  - Amount of Oc 22; 408
  - Cylinder temperature effects Oc 42
  - Measurement of Oc 42, Oc 43
  - Piston ring effects Oc 42, Oc 43
- Fuel consumption
  - Effect of Gasoline Volatility on Engine Economy Oc 22; 363
  - Fuel Economy from the Design Standpoint Oc 22; 408
  - Acceleration effects 408
  - Air-fuel mixture ratio effects Oc 22, Oc 23; 363, 364, 365, 366, 370
  - Alcohol blends Jl 29
  - Brake dragging effects Oc 23; 408
  - Clutch effects, fluid coupling 320
  - Compression ratio effects Ap 27; 364, 367, 369, 370; Oc 22; 408
  - Cylinder head effects, aluminum and cast iron compared 121
  - Engine speed effects 182; 237
  - Gasoline volatility effects Oc 22; 363, 370
  - Ignition effects Oc 23
  - Induction effects
    - Manifold design Oc 22; 408
    - Temperature 364, 367, 369, 370
  - Light car type 314, 316
  - Load effects 182; 237
  - Oil changing period relation to My 31
  - Oil viscosity effects Oc 22; 408
  - Piston ring pressure effects Oc 22; 408
  - Racing engine Jl 13, Jl 14
  - Rear axle gear reduction ratio effects Fe 22; 182
  - Reduction needed 316
  - Starting effects Oc 22; 408
  - Streamlining effects 185, 186; Jl 15; Ag 27
  - Testing 363
  - Tire effects, super-balloon Fe 51; Oc 22; 408
  - Transmission effects
    - Automatic, continuously variable 184, 186, 237
    - Lubricant Oc 23; 408
  - Vehicle speed effects Jl 14, 237, 238; 363, 364
  - Wastage causes Oc 22; 408
  - Wind resistance effects Oc 23; 408
- Fuel feeding
  - Temperatures in 159; Je 24
  - Vapor lock
    - Vapor-Handling Capacity of Automobile Fuel Systems Fe 26; 157
    - Alcohol blends Jl 29
    - Fuel characteristics, effect of 161
    - Fuel-supply systems compared 158
    - Research Fe 42; Je 24
    - Temperature of 158, 161
    - Vapor handling capacity relation to Fe 26; 158, 159
    - Vapor pressure permissible Fe 26; 160
    - Vehicle speed relation to 162
- Idling, aluminum cylinder head effects Fe 24; 121

PAGE

Engine Operation and Performance (*Continued*)
- Load, fuel consumption affected by 182; 237
- Lubricants and Lubrication
  - Research Results Dominant at Sessions of Fuels and Lubricants Group Oc 41
  - Combustion efficiency affected by Oc 23
  - Engine speed relation to 24, 32; My 31; 238; Oc 41, Oc 42
  - Oil blowby
    - Engine speed effects Jl 16; Oc 41
    - Factors affecting 4; Jl 16, Jl 27; Oc 41
    - Piston ring design effects 4; Jl 16, Jl 27
  - Oil changing periods My 31; Oc 41
  - Oil consumption
    - Air-fuel mixture ratio effects Oc 42
    - Design factors affecting De 30
    - Engine speed effects 32; My 31; 238; Oc 42
    - Factors affecting My 31
    - Oil viscosity effects My 31; Oc 22, Oc 42; No 38; 408
    - Oil volatility effects My 31; Oc 42
    - Piston ring effects My 31; Oc 41
    - Racing engine Jl 13, Jl 16
    - Temperature, engine, effects Oc 42
    - Testing Oc 42
  - Oil deterioration in service Jn 24; Fe 23; My 31
  - Oil properties
    - Mineral Jl 13
    - Sludge formation testing Oc 43
    - Stability, research No 32; De 16
    - Viscosity
      - Fuel consumption affected by Oc 22; 408
      - Low temperature requirements Ag 24; Oc 49; No 38
      - Lower desired My 30
      - Oil consumption affected by My 31; Oc 22, Oc 42; No 38; 408
      - Requirements My 30
      - Starting requirements Ag 24; Oc 49; No 38
    - Volatility, oil consumption affected by My 31; Oc 42
  - Oil pumping, valve stem design effects 3
  - Oil reclamation effects Jn 20
  - Temperature, oil consumption affected by Oc 42
- Maintenance cost, Diesel and Otto cycle compared 304
- Makes
  - Buick 32
  - Cadillac 26, 27, 28
  - De Soto 27
  - Lanchester 320
  - Miller Jl 13, Jl 14, Jl 16
  - Plymouth 27
  - Pontiac 22, 28, 29
  - Studebaker Jl 14, Jl 15, Jl 16, Jl 17
- Power
  - Blower consumption Oc 13
  - Compression ratio effects 367, 369, 370
  - Cylinder head effects, aluminum and cast iron compared 121
  - Exhaust muffler effect 32
  - Fan consumption of 32
  - Gasoline volatility effects 363, 364, 367, 369, 370
  - Increase 1, 25; Ap 26
  - Induction temperature effects Oc 22; 368, 369, 370
  - Light car type 314, 316
  - Losses, testing Oc 23
  - Racing engine Jl 17
  - Streamlining effects 76
  - Vehicle speed relation to 237, 238
- Smoothness, methods of attaining 23; Oc 18
- Speed
  - Foreign and American compared 316
  - Front end drive affected by 32
  - Fuel consumption affected by 182; 237
  - Increase in 1, 22, 24, 26, 28; Ap 26
  - Light car type 314, 316
  - Lubrication difficulties affected by 24
  - Oil blowby affected by Jl 16; Oc 41
  - Oil consumption affected by 32; My 31; 238; Oc 42
  - Vehicle speed relation to 22; 237, 238
- Starting
  - Aluminum cylinder head effects Fe 24; 121
  - Alcohol blends vs. gasoline Jl 29
  - Fuel consumption affected by Oc 22; 408
  - Oil viscosity requirements Ag 24; Oc 49; No 38
- Testing
  - Friction Oc 42, Oc 43
  - Fuel consumption 363
  - Fuel supply systems 157
  - Oil consumption Oc 42
  - Power losses Oc 23
  - Standard forms for Mr 18

PAGE

Engine Operation and Performance (*Concluded*)
Torque reactions, cylinder types compared 23, 25, 27
(See also Air Cleaners; Bearings; Camshafts; Carbureters and Carburetion; Connecting-Rods; Crankcases; Crankshafts; Cylinders; Detonation; Engine Design and Construction; Engines, Aircraft; Engines, Diesel; Engines, Marine; Engines, Motorcoach; Engines, Motor-truck; Engines, Oil; Engines, Railcar; Engines, Tractor; Foreign Design and Operation; Governors; Ignition; Induction; Pistons; Springs, Valves; Supercharging and Valves and Valve Gear)

Engineers and Engineering
EAGERNESS TO SCRAP THE OBSOLETE, KEY TO ENGINEERS' SUCCESS Se 13
ENGINEER'S BIG CHANCE IS HERE—WILL HE TAKE IT? Fe 31; Mr 11
ENGINEERS DECRY PENNY PITCHING; QUALITY THINKING URGED Oc 9
GLIMPSING AUTOMOTIVE ACHIEVEMENT AT THE CENTURY OF PROGRESS EXPOSITION Se 40
IGNORANCE SIRES ARGUMENT, "KET" SAYS; SIMPLICITY BREEDS UNDERSTANDING Oc 17; No 13
Civilization's debt to 103
Education My 29; 225; 268, 272; No 14
Field 270
Functions of Fe 31; Fe 32; Fe 33; Mr 11; Se 13, 295, 323; Oc 15, Oc 17; No 16
Industrial advisor 272
International Automotive Engineering Congress Ap 28; My 14; Je 18; Jl 19; Jl 24; Jl 26; Ag 16; Se 15; Se 16; Oc 9; Oc 36; Oc 48
Natural laws as basis Ag 17
Operation and maintenance 272
Production, cooperation with Fe 31; Mr 12
Qualifications for 268; Se 13; No 16
Research 271
Sales, cooperation with Fe 31, Fe 33; Mr 12; My 29
Simplification needed No 13
World Petroleum Congress Jl 29

Engines, Aircraft
MORE HORSEPOWER WITHOUT WEIGHT INCREASE GOAL SET AT AIRCRAFT ENGINE SESSION Oc 28
NEXT DECADE'S AERO ENGINES WILL BE ADVANCED BUT NOT RADICAL Oc 28; 377
SCAVENGING BY LARGE VALVE-OVERLAP INCREASES POWER AND ECONOMY 210
Altitude effects
Manifold pressure Oc 29
Power 82; 124, 129; 216; Oc 29
Scavenging 216
Speed 126
Aluminum used in 393
Army research Oc 29
Beryllium used in 394
Brake mean effective pressure
Compression ratio effects 214, 215
Direct fuel injection effects 212, 213, 215
Ethyl gasoline effects 215
Hydrogenated gasoline effects 215
Increase in My 31
Intake pressure effects 212, 214, 215
Scavenging effects 210, 212, 214
Valve overlap effects 212, 214
Combustion flame-velocity testing Oc 29
Commercial design requirements 395, 400
Compressure ratio
Brake mean effective pressure affected by 214, 215
Fuel consumption affected by 214, 215; 380
Fuel limitations on 380
Power increase due to 380
Stresses affected by 381
Cooling
Air
Baffles 384
Cooling surface requirements 384, 385
Cowling effects Oc 28; 383
Fan Oc 28; 384
Foreign developments Oc 28; 377, 395
History Oc 28; 377
Indirect Fe 16

PAGE

Engines, Aircraft (*Continued*)
Oil consumption affected by 387
Usage increase predicted Oc 28; 378, 394, 399
Aircraft speed effects Oc 28; 384
Fan, air cooling requirements Oc 28; 384
Liquid
Future for My 30
High temperature possibilities 384
Steam possibilities 378, 387
Corrosion, tetraethyl lead effects 381
Cowling
Cooling affected by Oc 28; 383
Drag affected by 384
Foreign developments Oc 28; 383
National Advisory Committee for Aeronautics type Oc 28; 383
Ring type 384
Cylinder pressures in Oc 29
Cylinder types
Arrangements compared, commercial requirements 395
In-line, air-cooled merits 399
Number of cylinders, trend in 395
Radial
Advantages 378, 395, 398, 399
Master connecting-rod bending stresses 91; Je 26; Jl 23
Design requirements 124; My 30; 395, 400
Diesel
Altitude effects Oc 28; 388
Foreign development Oc 28; 388, 400
Fuel consumption Oc 28; 388, 400
Makes
Bristol Oc 28; 388
Clerget Oc 35
Power
Altitude effects Oc 38; 388
Data on Oc 35
Pressures 388
Two stroke cycle 389, 390, 395, 400
Weight Oc 35; 388
Drag, cowling effects 384
Fuel consumption
Aircraft size effects on Se 20
Compression ratio effects 214, 215; 380
Data on Oc 29
Decrease needed Oc 28; 379
Direct fuel injection effects 212, 213, 215
Ethyl gasoline effects 215
Fuel effects 381
Hydrogenated gasoline effects 215
Intake pressure effects 212, 214, 215
Scavenging effects 212, 214
Valve overlap effects 212, 214
Fuel feeding, direct fuel injection
Brake mean effective pressure affected by 212, 213, 215
Carburetion compared with 215
Fuel consumption affected by 212, 213, 215
Merits 216; Oc 28; 389
Idling, scavenging effects 215
Improvements predicted Oc 28; 379; 394
Light type 395
Lubricants and lubrication
Oil consumption
Air-cooled engine 387
Aircraft size effects Se 20
Decrease needed 380
Oil coolers 387
Oil requirements My 31
Magnesium alloys used in 393
Makes
Alfa Romeo 382
Armstrong-Siddeley 379, 395, 399
Bristol 379, 380, 382, 385, 387, 393, 395, 398
Curtiss 399
Gnome 399
Levavasseur 389
Napier 395
Potez 383
Pratt and Whitney Se 20; 398
Wright 91; 398
Military design requirements 399
Mounting
Breakage precautions De 30

Abbreviations Used:

January, Jn	April, Ap	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

PAGE

Engines, Aircraft (*Concluded*)
- Multi-engine wing nacelles — Mr 21
- Vibration affected by — 368
- Power
  - Air-intake scoop effects — 81
  - Aircraft speed affected by — 78, 80, 84
  - Altitude effects — 82; 124, 129; 216; Oc 29
  - Compression ratio effects — 380
  - Constant, maintenance of in flight — Fe 17; 85
  - Data on — 395, 398
  - Fuel effects — 380
  - Humidity effects — 81
  - Increasing, methods of — 124; Oc 28; 379
  - Intake-air temperature effects — 81
  - Propeller effects
    - Limitations imposed by — 130
    - Pitch setting — 131, 132
  - Testing, flight — Fe 17; 81; 250, 255
  - Weight relation to — Se 20
- Reduction gearing
  - Future use predicted — 386, 394
  - Multi-speed merits — 391
- Research, foreign — Oc 34
- Scavenging
  - Altitude effects — 216
  - Brake mean effective pressure affected by — 210, 212, 214
  - Fuel consumption affected by — 212, 214
  - Idling affected by — 215
  - Testing — 211
- Size trends — 377, 379, 394, 395, 398, 399, 400
- Sleeve-valve merits — Oc 28; 390, 394, 401
- Speed
  - Aircraft speed relation to — 128, 135
  - Altitude effects — 126
  - Limitations on — 385, 394, 399, 401
  - Propeller pitch setting effects — 131
- Standardization — Mr 18
- Steel improvement desired — 392
- Temperature testing — 251
- Testing
  - Equipment and personnel — 245
  - Flame velocity — Oc 29
  - Flight — Fe 17; 81; 250, 255
  - French methods — Oc 35
  - Improvement desired — 392, 395
  - Power, flight — Fe 17; 81; 250, 255
  - Scavenging — 211
  - Temperature, flight — 251
- Two stroke cycle possibilities — 377, 382, 390
- Vibration, speed relation to — 401
- Weight
  - Fuel effects — 381
  - Power relation to — Se 20
  - Trend — 379, 394

(See also Carbureters and Carburetion, Aircraft; Connecting-Rods, Aircraft; Cylinders, Aircraft; Induction, Aircraft; and Supercharging, Aircraft)

Engines, Diesel
- DIESEL SESSIONS SEE ANIMATED ARGUMENTS ABOUT PERFORMANCE AND FUELS — Oc 44
- Automotive possibilities — 29
- Bearings, cageless roller — Je 32; 276
- Brake mean effective pressure — Oc 46
- Butane propane engine compared with — De 26
- Combustion
  - Controlled phase — 206
  - Spontaneous phase — 206
  - Stages of analyzed — 204
  - Turbulence, ignition lag affected by — 205
- Depreciation — 304
- Exhaust smoke, mean pressures limited by — Oc 45
- Fuel feeding
  - Atomization in — No 30
  - Fuel viscosity effects — 207
  - High vs. low pressure — 205
  - Wave phenomena — Oc 44; No 30
- Ignition lag
  - Factors affecting — 204
  - Fuel characteristic effects on — 206
- Indicators as means of study — Fe 25
- Maintenance cost — 304
- Makes
  - Junkers — No 30
  - Krupp — No 30
  - Lancia — No 30
  - Monovalve — No 28
  - Peugeot — No 30

PAGE

Engines, Diesel (*Concluded*)
- Nomenclature standardization — Mr 19
- Otto cycle compared with — 304
- Power data — No 28
- Problems needing study — Fe 14
- Speed, ignition lag affected by — 205
- Standardization — Mr 18, Mr 19
- Two stroke cycle possibilities — No 30

(See also Engines, Marine; Engines, Motorcoach; Engines, Motor-Truck; Engines, Oil; Engines, Tractor and Fuels, Diesel)

Engines, Marine
- Diesel
  - REPAIR PROBLEMS OF MARINE DIESEL ENGINES — 259
  - Bed plate rigidity — 259
  - Cooling system maintenance — 260
  - Developments — No 30
  - Foreign use — Oc 45
  - Maintenance equipment and methods — 259
- Outboard, racing development — No 31

Engines, Motorcoach
- Cylinder types, horizontal — 1, 20, 26; No 31
- Diesel
  - Life — Oc 45
  - Maintenance — Oc 45
  - Makes, Waukesha — Oc 45
- Fuel consumption
  - Clutch effects, fluid coupling — 320
  - Streamlining effects — De 29
- Lubrication, dry sump type — 5
- Maintenance, valve seat rebuilding — 71
- Makes
  - Hall-Scott — 31
  - Hercules — 1, 3, 5
  - White — 1, 3, 4, 5, 6, 7, 9, 20, 26; No 31

Engines, Motor-Truck
- Brake mean effective pressure, increase in — 3
- Cylinder types, number of cylinders, trends in — 1
- Diesel
  - Driver instruction needed — No 28
  - Foreign use — Oc 44, Oc 45
  - Fuel consumption — Ap 27; Oc 45
  - Fuel cost — Ap 27
  - Lubricating oil consumption — Oc 45
  - Maintenance cost — Oc 45
  - Makes
    - Cummins — Ap 27
    - Hercules — Oc 44
  - Otto cycle compared with — Oc 45
  - Possibilities of — 1, 29; Mr 21; Ap 27
  - Production cost — Oc 45
- Efficiency, volumetric — 4
- Fuel consumption data given — 4; Ap 27
- Lubrication
  - Oil changing periods — Oc 21
  - Oil filter use — Oc 21
- Maintenance, rebuilding in — Oc 21
- Makes
  - A.C.F. — 7
  - General Motors — 3, 4, 5
  - Mack — 3, 7
  - Reo — 5, 7
  - Waukesha — 1, 3, 4, 5, 6

Engines, Oil, Hesselman Make — 208

Engines, Railcar
- Design requirements — No 31; De 14
- Fuel consumption — De 14
- Pneumatic-tired equipment requirements — 57

Engines, Tractor
- TRENDS IN DESIGN AND RESEARCH RESULTS FEATURED AT TRACTOR SESSION — Oc 46
- Compression ratio increase — Ap 27; 186
- Design requirements — Oc 46
- Diesel possibilities — Mr 21; Oc 46
- Fuel consumption decrease — Oc 46
- Power increase — Oc 46

F

Fenders, Articulated Support for — 332, 340

Finishes
- Color
  - 300 COLORS CAN DO THE WORK OF 12,000 NOW DEMANDED BY INDUSTRY — De 22
  - Calibrated chart for — De 22, De 24
  - Characteristics of — De 23

PAGE

Finishes—Color (*Concluded*)
Foreign standardization De 25
Standardization Oc 48; De 22
Testing De 25
Usage extent De 23, De 25
Variety in De 22
Synthetic resin type Jn 23
Testing Jn 23; De 25

Fleet Operation
"CUT FLEET COSTS, INCREASE FUEL ECONOMY," IS TRANSPORT-FUEL SESSIONS THEME Oc 19
Accounting Mr 19; No 30; De 30
Control methods De 26, De 30
Costs
Control methods De 30
Factors affecting Ag 22
Employe-owned cars
Business functions adaptable for Fe 38
Employer's relation to Fe 38
Rates of payment for Fe 39
Engineering knowledge needed 272
Lubrication, reclaimed oil effects on maintenance Jn 20, Jn 21
Maintenance
Equipment and methods De 30
Garage arrangement and care 137
Reclaimed oil effects Jn 20, Jn 21
Manufacturers' cooperation with De 26
National Recovery Administration code Oc 13
Personnel, driver education as accident preventive Jn 21
Vehicle replacement rates Ag 22
Vehicle selection
Importance of No 30
Lighter vehicles predicted Ag 22
(See also Motorcoach Operation and Performance; Motor-Truck Operation and Performance and Transportation)

Foreign Design and Operation
Aircraft design research Oc 34
Automotive
American design compared with Fe 22 D; Ag 18; 314, 316
Light car, English 313; Oc 16
Near-East sales and service Fe 49
Variety in design Fe 22 D
Bodies, English 313, 317
Brake legislation De 17
Detonation testing Fe 30; 106; Oc 51; De 17
Engines
Aircraft
Air-cooled Oc 28; 377
Diesel Oc 28; 388
Research Oc 34
Light-car type 314
Marine, Diesel No 30
Motorcoach, Diesel Oc 44, Oc 45
Motor-truck, Diesel Oc 44, Oc 45
Finish, color standardization De 25
French S.A.E Oc 17
Fuels, aviation Oc 28; 380
Headlighting regulation Ap 19
Road construction, Canadian De 28
S.A.E., cooperation with Jl 19, Jl 26; Ag 16; Oc 10
Taxation, English 314; Oc 16

Frames
Controls mounted on 16, 32
Elimination of Je 32; Ag 18
Progress 15
Rigidity, design for 15, 26
X-construction 15

Fuels
Alcohol blends
Legislation Je 17
Performance data Jl 29
Research Je 24
Aviation
Benzol blend merits 380
Foreign problems Oc 28; 380
Benzol blends, aviation 380
Butane propane De 26
Diesel
FUEL-OIL SUPPLY AMPLE FOR WIDE DIESEL USE 304
STANDARD RATING NEEDED FOR FUELS FOR HIGH-SPEED OIL-ENGINES Fe 25; 204

PAGE

Fuels (*Concluded*)
Chemical composition, ignition lag affected by 206
Cost Ap 27; 304
Cracked, ignition lag affected by 208
Flash point significance 206
Ignition lag affected by 206
Molecular structure, ignition lag affected by 206
Rating
Cetene number 208; Oc 44
Critical compression ratio 208
Standard suggested Fe 25; 209
Research Oc 50; De 17
Specific gravity significance 206
Spontaneous ignition temperature significance 207
Supply available 304
Taxation 304; Oc 45
Testing Fe 25; 209; Oc 44, Oc 50; De 17
Vapor pressure Fe 42
Vegetable oil as source Oc 44
Viscosity significance 207
Volatility significance 207
Tractor types Oc 46
(See also Detonation, Fuel factors and Gasoline)

G

Gages, dimensional precision De 28
Garages
Equipment 197
Maintenance 137
Ventilation 201

Gasoline
Aviation
Foreign problem Oc 28; 380
Volatility, ice formation affected by Je 24
Cracking, crude oil demand lessened by 304
Gum content
TEMPERATURE EFFECT ON DETERMINATION OF GUM IN GASOLINE 283
Evaporation time effects 284, 287, 290
Research Fe 42
Temperature effects 284, 287, 288, 289
Testing
Air jet method 284, 290
Air-oven method 285, 287
Evaporation time effects 284, 287, 290
Liquid bath 286, 287, 289
Steam bath 284, 287, 289, 291
Temperature effects 284, 287, 288, 289
Volume evaporated effects 284, 287, 289, 290
Volume evaporated effects 284, 287, 289, 290
Hydrogenated, brake mean effective pressure and fuel consumption affected by 215
Sulphur content research Oc 50
Taxation
English 314; Oc 16
Motor-truck design affected by Fe 34; 168
Recommendation on Fe 48
Testing, gum content 283
Vapor pressure
Limit for current engines Fe 26; 160
Vaporization degree effect on 161
Volatility
EFFECT OF GASOLINE VOLATILITY ON ENGINE ECONOMY Oc 22; 363
Acceleration affected by Oc 22; 363, 364, 370
Air-fuel mixture ratio requirements affected by 365, 370
Fuel consumption affected by Oc 22; 363, 370
Ice formation affected by Je 24
Induction system adaptation to 370
Power affected by 363, 364, 367, 369, 370
Trends Oc 22, Oc 23; 363, 370
(See also Detonation, Fuel Factors and Fuels)

Gears
QUIETER GEARS ARE BEING DEMANDED! HOW SHALL WE MAKE THEM? Oc 39; 353
Bronze 360
Design problems Jn 24
Forging uniformity required 355, 357, 361
Hardening, distortion due to Oc 39; 355, 356, 358, 362
Heat treatment
Annealing 209
Carburizing 209

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Gears (*Concluded*)
- Normalizing 209
- Varied phases of 209
- Helical
  - Quietness, method of obtaining Oc 39; 353
  - Transmission use of 1, 11, 353
- Lubrication
  - Lubricant requirements Jn 17; 196
  - Problems of Jn 24
- Noise
  - Acoustic nature of Oc 39, Oc 40; 358, 360, 361, 362
  - Causes Fe 37
  - Chassis design and mounting effects Oc 39, Oc 40; 358, 360, 361, 362
  - Tone control Fe 37
  - Tooth accuracy control effects Oc 39; 353, 357, 358, 359, 361
  - Transmission case insulation Oc 39; 360, 361, 362
- Performance, factors affecting 217
- Production
  - Cost, grinding vs. non-grinding Oc 39; 354, 357, 358, 360, 361
  - Cutting 355, 356, 360
  - Forging methods 209
  - Grinding
    - Cost Oc 39; 354, 357, 358, 360, 361
    - Merits Oc 39, Oc 40; 353, 359, 360, 361, 362
    - Methods 354, 357
  - Hobbing 355, 356, 360
  - Inspection Oc 39; 359, 360
  - Lapping 216; Oc 39; 356, 357, 359, 362
  - Rack finishing 359
- Steels Oc 39; 354, 355, 360, 361
- Tooth accuracy
  - Extent obtainable by production methods Oc 39, Oc 40; 354, 355, 356, 357, 359, 360, 361, 362
  - Noise relation to Oc 39; 353, 357, 358, 359, 361

Governors, Progress in 7

H

Headlighting
- HIGH-SPEED NIGHT DRIVING MADE SAFER BY NEW THREE-BEAM HEADLAMP Jl 20
- LIMITING FACTORS IN HEADLAMP DESIGN 376
- Asymmetric
  - Merits Jl 20, Jl 21; 376
  - Standard laboratory test specification Jl 20; Oc 51; No 37
- Beam candlepower, visibility distance affected by Jl 21
- Beam pattern
  - Asymmetric Jl 20; Oc 51; No 37
  - Cross beam 17
  - Legal requirements 376
  - Light above horizontal Jl 22
  - Multiple beam Je 25; Jl 20; Oc 51; No 37
  - Research Fe 42
  - Standard laboratory test specifications Je 25; Jl 20; Oc 51; No 37
- Fixed beam disadvantages Jl 21
- Foreign and American compared Ap 19
- Headlamps
  - Design requirements 376
  - Size reduction 376
  - Wind resistance 376
- Improvement needed 76
- Multiple beam
  - Headlamp design for 376
  - Merits Jl 22
  - Standard laboratory test specification Je 25; Jl 20; Oc 51; No 37
- Progress 17
- Reflectors
  - Design requirements 376
  - Standard laboratory test specifications Jl 23
- Research Fe 42
- Testing, standard laboratory test specifications for Jn 18; Fe 19; Mr 18, Mr 19; Je 25; Jl 20; Oc 51; No 37
- Visibility distance, beam candlepower effects Jl 21

(See also Lighting)

Heat treatment
- Annealing 209
- Bearings, cageless roller 278, 281
- Carburizing 209
- Case hardening, nitriding compared with 386
- Crankshafts 386
- Gears 209
- Nitriding, case hardening compared with 386
- Normalizing 209

I

Ignition
- Cable standardization Jn 18; Fe 19
- Distributors, progress in 8

PAGE

Ignition (*Concluded*)
- Fuel consumption affected by Oc 23
- Spark advance, vacuum control of 8
- Spark plugs
  - Aircraft, testing methods Oc 50
  - Heat flow, means of increasing Jl 27
  - Terminal standardization No 31

Indicators
- INDICATORS AS A MEANS OF IMPROVING AIRCRAFT-ENGINE PERFORMANCE 41
- Balanced pressure, merits of 41
- Diesel engine use of Fe 25
- Engine study aided by 43; Fe 25
- Makes
  - Air Corps 41, 43
  - De Juhasz 42, 44
  - Farnboro Fe 25
  - Massachusetts Institute of Technology 41
  - RAE 41
- Sampling-valve, merits of 41, 43

Induction
- Aircraft
  - Ice formation Je 24
  - Manifold pressure, altitude effects on Oc 29
- Evaporation, gum formation affected by 284
- Fuel consumption affected by Oc 22; 364, 367, 369, 370; 408
- Improvements desired 370
- Manifold design
  - Fuel consumption affected by Oc 22; 408
  - Progress in 7
  - Racing engine development Jl 17
- Pressure surges in 43, 44
- Temperature control
  - Fuel consumption affected by 364, 367, 369, 370
  - Hot spot, automatic control of 1, 6
  - Number of engine cylinders, effect of 27
  - Power affected by Oc 22; 368, 369, 370

Instruments
- Aircraft
  - Air-speed indicator
    - Calibration 78; 247
    - Pilot-static type 79; 248
    - Recording type 248
  - Altimeter, sensitive type 248
  - Barograph, recording type 248
  - Calibration 78; 246
  - Flight testing 78; 246
  - Fuel meters 249
  - Humidity determination 249
  - Pressure gage calibration 247
  - Progress Se 20
  - Propeller protractor 250
  - Pyromillivoltmeter 249
  - Recording type defects 248
  - Stop watch accuracy requirements 79; 248
  - Supercharger pressure gage 249
  - Tachometer
    - Calibration 247
    - Recording type 248
  - Take-off measurement 250
  - Tensiometer 308
  - Thermometer
    - Calibration 247
    - Capillary type 248
    - Recording type 248
    - Service conditions 79
  - Vibrator, controllable frequency 307
- Dynomometer, aircraft engine flight testing 255
- Exhaust gas analyzer Oc 23
- Gage, precision De 28
- Reaction-time indicator Fe 22 C; Mr 24
- Strobophonometer Fe 30
- Visiometer Fe 22 C
- Wabblemeter Fe 22 B, Fe 22 C, Fe 51; Mr 24; Ap 18; Oc 49

L

Laboratories
- Engineering type, functions of No 29
- Industrial, list of Je 11

Legislation
- Associations for study of Fe 12, Fe 13, Fe 35; Ap 11; Je 30; Oc 13
- Brake
  - STOPPING DISTANCE IS ONLY SANE YARDSTICK FOR DEFINING BRAKE CAPACITY Oc 11; No 22
  - Area De 17
  - Control means, two independent No 23; De 17

PAGE

Legislation—Brake (*Concluded*)
Design features No 22
Hand brake definition Oc 11, Oc 12; No 24; De 17
Inspection Oc 11, Oc 12; No 25; No 26
Pedal pressure Oc 11
Secondary, independent No 22, No 23
Stopping distance Oc 11; No 22, No 24, No 26; De 17
Trailer Oc 12; No 26
Fuel, alcohol and gasoline blends Je 17
Functions of Fe 24, Fe 35
Headlighting
Beam pattern 376
Reflectors Jl 23
Importance of Oc 11
Insurance, English 314
Lighting, turning signals Jl 23
Motor-truck design and construction
HOLD OF RAILROADS ON LEGISLATURES CRAMPS TRUCK DESIGN AND USE Fe 11, Fe 12; Ap 12
NON-UNIFORM REGULATION BY STATES CREATES TRUCK-BUILDING RIDDLE Fe 34; 165
S.A.E. TRANSPORT CODE COMMITTEE MAKES REPORT FOR STUDY BY MEMBERS 256
Evils of Fe 12, Fe 28, Fe 34, Fe 35; Ap 12; 166
Height Fe 35; 256
Length Fe 35; 170; 256
Railroad relation to Fe 12, Fe 34; Ap 12; Oc 13
Standard recommendations for Mr 19; 256
Uniformity lack Fe 34, Fe 35; 166, 169; Je 22
Weight Fe 35; 90, Mr 19; 168, 169; 256
Width 90; 166, 167, 169; 256
Motor-truck operation and performance
HOLD OF RAILROADS ON LEGISLATURES CRAMPS TRUCK DESIGN AND USE Fe 11, Fe 12; Ap 12
LEGISLATION VIES WITH MILITARY NEEDS FOR SPOTLIGHT AT TRUCK SESSIONS Oc 11
RAIL REGULATION FUNDAMENTALS NOT APPLICABLE TO TRUCKS 274
Railroad type not applicable to 274
Rates 274
Registration license requirements Fe 48; 168; Je 22; 292
Uniformity, interstate, sought Jn 28
National Recovery Administration Jl 19; Se 15; Oc 13; No 17, 371
Non-resident privileges No 30
Railroad, restrictive nature of 274; 294; De 14
S.A.E. cooperation with
Fe 12, Fe 13; Ap 11; Je 30; 256; Oc 10, Oc 11; No 24; De 17
Six-wheel vehicles
Axle spacing 168
Uniformity lack 169
Taxation
ENGINEERING FACTS POINT WAY OUT OF TRUCK TAX MUDDLE Je 20
SPECIAL MOTOR-VEHICLE TAX APPORTIONMENT 292
Amount paid Se 22
Basic code proposed Je 20
Capital stock value rise 52
Criticism of My 29
Design affected by Fe 34; 168
Foreign 314; Oc 16
Fuel, Diesel 304; Oc 45
Gasoline
Foreign 314; Oc 16
Motor-truck design affected by Fe 34; 168
Recommendations on Fe 48
Increase Jn 25; Fe 12
Motorcoach contribution to 171
Motor-truck and railroad compared Fe 12; Ap 14
Motor-truck contribution to Fe 12; Ap 14; 171
Non-selective income 51
Power 314; Oc 16
Registration license fees Fe 48; 168; Je 22; 292
Road construction costs paid by Jn 28; Ap 14; 171; 292
Sales Ap 16
Tractor-trailer combinations 169; 256
Uniformity lack Fe 34, Fe 35; 166, 169; Je 22; Oc 13
Uniform Motor Vehicle Law No 23
Lighting
Standardization Mr 19
Tail lights, progress in 17
Turning signal specifications Jl 23

PAGE

Lubricants and Lubrication
Extreme-pressure
APPARATUS FOR DETERMINING LOAD-CARRYING CAPACITY OF EXTREME-PRESSURE LUBRICANTS Oc 41, Oc 43; 402
LOAD-CARRYING CAPACITY OF EXTREME-PRESSURE LUBRICANTS Fe 26; 217
Commercial status 196
Composition 196; 218; 405
Development of De 28
Friction coefficient
Load effects 219
Rubbing speed effects 219
Load-carrying capacity
Data given 218, 221; Oc 43; 405, 406
Increase in, methods of obtaining My 31
Loading rate effects Oc 43; 405, 406
Oil temperature effects
Jn 17; Fe 27; 219, 221; Oc 43 405, 406
Rubbing speed effects
Jn 17; Fe 27; 218, 219, 221, Oc 43; 405, 406
Testing machines for
Bureau of Standards development Jn 17; Fe 25; Ap 18; 223, Je 27; Oc 41, Oc 43, Oc 50; 403
Comparison of types Jn 17; Fe 26; Ap 18; 218, 219, 222; Oc 41, Oc 43; 402
General Motors development My 31
Load on, friction coefficient affected by 219
Loading rate, load carrying capacity affected by Oc 43; 405, 406
Research Jn 17; Fe 42
Rubbing speed
Friction coefficient affected by 219
Load carrying capacity affected by
Jn 17; Fe 27; 218, 219, 221; Oc 43; 405, 406
Seizing affected by My 31
Seizing, speed effects My 31
Temperature, load carrying capacity affected by
Jn 17; Fe 27; 219, 221; Oc 43; 405, 406
Testing machines
Bureau of Standards development
Jn 17; Fe 25; Ap 18; 223; Je 27; Oc 41, Oc 43, Oc 50; 403
Comparison of types
Jn 17; Fe 26; Ap 18; 218, 219, 222; Oc 41, Oc 43; 402
General Motors development My 31
Wear affected by, research on Je 27
Industrial, viscosity classification Se 28
Oil reclamation
OIL RECLAMATION ECONOMICS Jn 20
Cost Jn 20, Jn 21
Fleet operators' experience with Jn 20
Oil quality Jn 20, Jn 21; Oc 21
Oil quantity required Jn 21
Savings effected by Jn 20, 21
Viscosity, temperature relation to Ag 24; Oc 48
(See also Automobile Design and Construction, Lubrication; Automobile Operation and Performance, Lubricants and Lubrication; Bearings, Lubrication; Engine Design and Construction, Lubrication; Engine Operation and Performance, Lubrication; Engines, Aircraft, Lubricants and Lubrication; Engines, Motorcoach, Lubrication; Gears, Lubrication; Motor-Truck Operation and Performance, Lubrication Equipment; and Transmission, Lubricants)

M

Materials
Automotive use of 66
Glass, safety, manufacture of Je 31
(See also Metals and Rubber)
Metals
Automotive use of 66
Bearing, aircraft engine requirements 386
Beryllium
Engine, aircraft use 394
Physical properties 394
Brass and copper alloy standardization Jn 18; Fe 19; Mr 18
Bronze, gear use 360
Cast iron
APPLICATION TO MOTOR-VEHICLES 67
ARE CAST IRON CRANKSHAFTS COMING ON HIGH-SPEED ENGINES? Je 14

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Metals (*Concluded*)
- AUTOMOTIVE-FOUNDRY CLASSIFICATION 68
- THE DESIGNER'S VIEWPOINT 65
- Alloys, special 1, 4, 40; 66, 67; Je 14
- Aluminum compared with, cylinder heads 121, 123
- Automotive, importance of 65
- Camshaft material 4; Je 16
- Chemical composition
  - Camshaft material Je 16
  - Crankshaft material Je 14
  - Cylinder material 66
  - Ideal Fe 50
  - Physical properties independent of 69
- Chromium effects 66
- Clutch pressure plate material Fe 22 B; 94, 95
- Crankshaft material 4, 31, 40; Je 14, Je 17
- Cylinder material 1, 29; 66; 121, 123
- Electric furnace type
  - Flexibility 66, 67, 68
  - Melting temperature 67, 68
  - Quality controllability 66, 67, 68, 69
- Engine use 1, 4, 26, 29, 31, 40; 66, 67; Je 14, Je 17
- Improvements in 66, 67, 68; Fe 50
- Melting temperature effects 68
- Microstructure, physical properties affected by De 30
- Nickel effects 66
- Physical properties
  - Camshaft material 4; Je 16
  - Crankshaft material Je 14
  - Cylinder material 1; 66
  - Improvement in 68, 69; Fe 50
  - Microstructure effects De 30
  - Steel compared with Je 14
- Piston material 4, 26
- Production
  - Control accuracy needed De 30
  - Cupola and electric furnace compared 67, 68, 69; Fe 50
- Steel compared with, physical properties Je 14
- Valve seat insert material 66; 225
- Chromium in cast iron 66
- Color code for marking Mr 19; Je 24
- Magnesium alloys
  - Aluminum compared with 393
  - Engine, aircraft use of 393
  - Physical properties 393
  - Standardization Mr 18
- Malleable iron production methods No 30
- Nickel in cast iron 66
- Spraying Mr 21
- Standardization Jn 18; Fe 19; Mr 18; Je 24

(See also Aluminum and Aluminum Alloys; Heat Treatment and Steels)

Motorboats
- Aircraft compared with, streamlining Je 30
- Automobile compared with, streamlining 86
- Fuel line standardization Mr 19
- Propellers
  - Equi-Poise wheel described Je 30
  - Standardization Oc 51
- Racing design development Mr 22
- Shaft and propeller wheel mounting standardization Mr 18; De 16
- Speed increase 144
- Streamlining
  - Aircraft compared with Je 30
  - Automobile compared with 86

Motorcoach Design and Construction
- Makes
  - General Motors 11
  - Mack 16
  - Twin coach 20
  - White 11, 13, 14, 15, 16
- Size, operating costs influenced by My 18
- Streamlining, fuel consumption decreased by De 29

(See also Axles, Motorcoach; Brakes, Motorcoach; Clutches, Motorcoach; Engines, Motorcoach; Motorcoach Operation and Performance; Six-Wheel Vehicles; Transmissions, Motorcoach; and Transportation)

Motorcoach Operation and Performance
- Cost, vehicle size effects on My 18
- Example given, Pacific Greyhound lines 71
- Field of My 18
- Impacts, speed effects on Je 20
- Life of, other transportation media compared with My 20
- Maintenance
  - SOME COST-SAVING METHODS IN MOTORCOACH UPKEEP 71
  - Cost control 71

PAGE

Motorcoach Operation and Performance (*Concluded*)
- Equipment and methods 71
- Other transportation media compared with My 20
- Unit repair system 72
- Merits of as transportation media My 19
- Mileage 71
- Railroad, competition with Fe 24
- Railroad, cooperation with 163
- Speed, impacts affected by Je 20
- Street space per passenger My 33
- Taxation
  - Amount paid 171
  - Registration fee basis 272
- Tires
  - Balloon, usage extent 14
  - Temperature Fe 51
- Wind resistance, streamlining effects De 29

(See also Engines, Motorcoach; Fleet Operation; Motorcoach Design and Construction; Six-Wheel Vehicles and Transportation)

Motor-Truck Design and Construction
- Aluminum used in 90
- Appearance important Oc 20
- Army
  - Assembled vs. manufactured Oc 14
  - Requirements My 32; Se 36
  - Standardization Oc 13, Oc 14
- Assembled vs. manufactured, army Oc 14
- Chassis record form standardization Mr 19
- Control simplification 16
- Door-to-door delivery 16, 20
- Frameless Ag 21
- Half-track, army Se 36
- Height, legislative restrictions on Fe 35; 256
- Investment in Fe 34; 169
- Length, legislative restrictions on Fe 35; 170; 256
- Makes
  - Chevrolet 20; Se 37
  - Citroen-Kegresse Se 36
  - Continental-Divco 20
  - Corbitt Se 37
  - Cunningham Se 36
  - DeKalb 20
  - Federal 13
  - Ford 20; Se 37
  - Garford Se 37
  - GMC Se 37
  - International Harvester 20
  - Linn Se 36
  - Mack Se 37
  - Marmon-Herrington Se 37
  - Reo 13
  - Studebaker 16, 20
  - Stutz 20
  - White-Indiana 20
- Manufacturers' and operators' cooperation De 26
- Model changing criticized 91
- Production
  - Investment in Fe 34; 169
  - Large scale, legislative effects on 166
- Size, operating costs affected by 166
- Snow removal Mr 20
- Standardization
  - Army Oc 13, Oc 14
  - Tank truck Fe 14, Fe 29; Mr 19; My 32; Ag 24; Oc 50
- Tank truck standardization Fe 14, Fe 29; Mr 19; My 32; Ag 24; Oc 50
- Tire effects
  - Weight relation to 257
  - Width relation to 167; 256
- Track-laying, army Se 36
- Weight
  - Aluminum reduction of 90
  - Legal restrictions on Fe 35; 90, Mr 19; 168, 169; 256
  - Payload relation to 88
  - Roads affected by 168, 171
  - Tire relation to 257
- Width
  - Legal restrictions on 90; 166, 167, 169; 256
  - Tire effects 167; 256

(See also Axles, Motor-Truck; Bodies, Motor-Truck; Brakes, Motor-Truck; Clutches, Motor-Truck; Electric Propulsion, Motor-Truck; Engines, Motor-Truck; Legislation, Motor-Truck Design and Construction; Motor-Truck Operation and Performance and Six-Wheel Vehicles)

PAGE

Motor-Truck Operation and Performance
- CONTROL OF MOTOR-VEHICLE TRANSPORT OPERATION 87
- HOLD OF RAILROADS ON LEGISLATURES CRAMPS TRUCK DESIGN AND USE Fe 11, Fe 12; Ap 12
- OPERATORS TELL HOW TO FIT TRUCK TO SPECIFIC JOB 87
- Control efficiency factors 91
- Cost accounting
  - Importance of 87, 91
  - Mileage vs. time basis 88
- Costs
  - Mileage traveled effects 88
  - Vehicle size effects 166
- Impacts, roads affected by 167, 171; Je 21
- Increase in No 26
- Interstate
  - Amount Fe 12
  - Legislative restrictions on Jn 28
- Life, army Oc 14
- Lubrication equipment 200, 202
- Maintenance
  - ENGINEERING APPLIED TO MAINTENANCE IN UNIQUE "SERVICENTER" BUILDING 197
  - Cleaning 198
  - Equipment 197
  - Inspection schedules 88, 89, 90
  - Owner's vs. commercial shop Oc 21, Oc 22
  - Records 88
- Manufacturers' relation to 88, 89, 90
- Mileage, operating costs affected by 88
- Milk transportation Ap 12
- Obsolescence Oc 22
- Overloading extent Oc 21
- Ownership distribution Jn 25; Fe 12; Ap 13
- Personnel, drivers
  - Number of employed Ap 14
  - Selection and training 87
- Railroad, competition with Jn 25; Fe 12, Fe 24; Ap 14, 123; Se 22, 295
- Railroad, cooperation with Fe 35; 163
- Rates, legislative restrictions on 274
- Rating formula standard Fe 12, Fe 15, Fe 44; Mr 14, Mr 19; Ap 20; My 14; Je 19; Oc 49
- Research 167; Oc 49
- Roads affected by
  - Impacts 167, 171; Je 21
  - Passenger-cars compared with Jn 25; Fe 12; Ap 13; Je 21
  - Thickness required Ap 13; 171; Je 21
- Taxation
  - Amount paid Fe 12; Ap 14; 171
  - Registration fee basis 292
- Tires
  - Balloon usage 14
  - Overloading Oc 21
  - Weight limitations affected by 257
  - Width limitations affected by 256
- Ton-mileage Ap 14
- Transportation costs reduced by Ap 12
- Trip length Ap 13
- Used vehicle problem 90
- Vehicle selection
  - Manufacturers' part in 88, 89, 90
  - Operators' responsibility 87, 89
  - Research Oc 49
  - Rules for Oc 19, Oc 21, Oc 22

(See also Accidents and Accident Prevention, Motor-Truck; Axles, Motor-Truck; Bodies, Motor-Truck; Engines, Motor-Truck; Fleet Operation; Legislation; Motor-Truck Design and Construction; Six-Wheel Vehicles and Transportation)

N

National Advisory Committee for Aeronautics
- Aircraft research Fe 51; Mr 21; Oc 31
- Engine, aircraft, research
  - Cowling Oc 28; 383
  - Scavenging 211

National Research Council Industrial Laboratory List Je 11

Naval Aircraft Types De 30

O

Oil Coolers, Aircraft Engine Use 387

Oil Filters
- Oil changing periods affected by Oc 21
- Usage extent 5

Oil Temperature Regulators, Usage Extent 5

P

Pistons
- Aluminum
  - Merits 26, 29; 315
  - Progress 4
- Cast Iron
  - Advantages 26
  - Tin-plating 4
- Cracking, Diesel 260
- Diesel
  - Cracking 260
  - Rod wear 260
- Oil consumption affected by My 31
- Progress 4
- Rings
  - Compression, narrow 4
  - Diesel, pressure control features Oc 45
  - Engine friction affected by Oc 42, Oc 43
  - Fuel consumption affected by Oc 22; 408
  - Hydraulic 4
  - Number of increasing 4
  - Oil blowby affected by 4; Jl 16, Jl 27
  - Oil consumption affected by My 31; Oc 41
  - Pressure
    - Diesel control features Oc 45
    - Fuel consumption affected by Oc 22; 408
    - Requirements Oc 41, Oc 42
  - Two-piece design Oc 41
  - Width, compression 4
- Rods, Diesel, wear 260
- T-slot design 4

Production
- ACCOUNTANTS SCORED, DESIGN CHALLENGED IN SESSIONS OF PRODUCTION MEN Oc 38
- Accounting methods Se 24, Se 30; Oc 38; 371, 372, 373, 375
- Aircraft propellers, metal Oc 31
- Axle housings, rear 62
- Bearings, cageless roller 278, 280, 282
- Bodies
  - Cost factors Oc 24, 351, 352
  - Steel Je 32; Ag 19; 352
  - Tooling for Oc 24, 351
- Broaching Oc 40
- Camshafts, cast iron Je 16
- Cast iron
  - Control accuracy needed De 30
  - Cupola and electric furnace compared 67, 68, 69; Fe 50
- Chevrolet methods Mr 12; No 29
- Chrysler methods Fe 30; Ap 7
- Crankshaft, case hardening vs. nitriding 386
- Cylinders
  - Air-cooled 385
  - Machine tools for 64
- Decrease in Jl 19
- Designers' cooperation with Fe 31; Mr 12
- Engine
  - Accuracy increased 5, 24
  - Difficulties involved in 24, 29
- Engine, aircraft, air-cooled 385
- Engine, Diesel, cost Oc 45
- Equipment
  - EXECUTIVE-FACTORY LIAISON CLEARS MOOT POINTS IN EQUIPMENT BUYING Se 23; Oc 38; 371
  - Cost Se 30; Oc 39; 375
  - Depreciation Se 24, Se 26, Se 27, Se 28, Se 30; Oc 38; 373, 374, 375, 376
  - Liquidation time allowed Se 27; Oc 39; 373, 375
  - Obsolescence Se 26, Se 28; 374
  - Purchasing policy
    - Accounting methods Se 24, Se 30; Oc 38; 371, 372, 373, 375
    - Economic considerations, general Se 23
    - Selection criteria, economic Se 27; 372, 373, 374, 375
- Extrusion process in aluminum parts production Je 32

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

Production (*Concluded*)
- Forging
  - Gears 209
  - Steel Jn 23
- Fuel, Diesel, from vegetable oil Oc 44
- Gears
  - Cost, grinding vs. non-grinding Oc 39; 354, 357, 358, 360, 361
  - Cutting 355, 356, 360
  - Forging 209
  - Grinding
    - Cost Oc 39; 354, 357, 358, 360, 361
    - Merits Oc 39, Oc 40; 353, 359, 360, 361, 362
    - Methods 354, 357
  - Hobbing 355, 356, 360
  - Inspection Oc 39; 359, 360
  - Lapping 216; Oc 39; 356, 357, 359, 362
  - Rack finishing 359
- Glass, safety Je 31
- Inspection
  - Gages De 28
  - Gears Oc 39; 359, 360
- Investment in
  - Motor-truck Fe 34; 169
  - Reduction necessary Fe 37
- Iron, malleable No 30
- Labor problem
  - "Build Men or Get Out" Ag 13
  - Leadership and Labor Are the Twin Problems of Industry Fe 30; Ap 7
  - Employee education Ag 14
  - Employee rotation Ap 9; Ag 14
  - Force in typical automotive factory Ap 8
  - Foremen
    - Duties Fe 30; Ap 9, Ap 10
    - Training Ap 9
  - Insurance Ap 10
  - Management duties Ap 7; Ag 13
  - Unemployment
    - National income affected by Fe 28, 49, 51; Ap 15; Oc 16
    - Reduction necessary Jn 23
    - Work distribution Fe 30; Ap 8
- Laboratory relation to No 29
- Legislative restrictions
  - Motor-truck 166
  - National Recovery Administration Jl 19; Se 15; No 17, 371
- Lot size, economic, determination of Se 29
- Motor-truck
  - Investment in Fe 34; 169
  - Large scale, legislative effects on 166
- Overhead cost distribution Se 30; Oc 39; 374, 375
- Petroleum, cracking effects on demand for 304
- Railcar
  - Cost 64; De 13, De 14
  - Methods No 31; De 13, De 14
- Shock absorber, machine tool fixtures for 62
- Transmissions, motor-truck Ag 23

(See also Tools and Welding)

R

Racing
- Aircraft
  - Bendix trophy Oc 34
  - International air races Ag 26
- Automotive
  - Fresh Facts Stream From 500-Mile Racing Grind Under Revised Rules Jl 13
  - Car design
    - Improvements needed No 31
    - Specifications Jl 14
  - Performance data Jl 13
  - Road racing functions Oc 26
  - Rules Jl 13
  - Speed Jl 13; Ag 27
  - Stock car benefits from Jl 27
- Motorboat
  - Design developments Mr 22
  - Speed increase No 31

Railcars
- Low-Cost Automotive Cars Answer to Rail Passenger Problem Oc 20; No 31; De 13
- Acceleration 57
- Airplane construction applied to No 31; De 14
- Aluminum used in No 31
- Design requirements Fe 15, 54, 55, 57; No 31; De 13, De 14
- Future for predicted Se 15
- Length Oc 26; De 14

PAGE

Railcars (*Concluded*)
- Makes
  - Budd-Michelin 20; 54, 56
  - Railplane No 31; De 14
  - Twin Coach 20
- Pneumatic-tired
  - The Why and How of the Rubber-Tired Railroad-Coach Fe 15, 54
  - Design principles Fe 15, 54, 55, 57
  - Performance 57
  - Tramp Fe 15
- Production
  - Cost 64; De 13; De 14
  - Methods No 31; De 13; De 14
- Progress 20
- Seating capacity De 14
- Speed 57; No 31; De 14
- Steels used in Fe 15, 57, 58; No 31; De 14
- Streamlining Fe 15; De 14
- Tires, Pneumatic
  - Design principles 14, 20; Fe 15, 54
  - Performance data 14; Fe 15, 55
- Trailers, importance of Fe 15
- Weight 56, 57; Oc 26; No 31; De 14
- Width Oc 16

(See also Bodies, Railcar; and Engines, Railcar)

Research
- Research . . . . As I See It 33
- Aims 38
- Automotive 36, 39
- By-products, value of 35, 38
- College 38
- Cooperative, value of 37
- Depression need for 225
- Expenditure for 38; 225; 271
- Functions of 33, 35; 225
- Laboratories
  - Engineering No 29
  - Industrial Je 11; 225; 271
- Methods of 34, 35, 37, 38, 39
- Need for 271
- Personal qualifications for 36, 39
- Value of 34, 35, 37, 38; 225; 271

Riding-Qualities
- Three Low Priced Cars Vary in Riding Comfort Mr 24
- Fatigue, measurement of Fe 22 C, Fe 51; Mr 24
- Reaction time test Mr 25
- Research Fe 22 B, Fe 22 C, Fe 43; Mr 24; Ap 18, Ap 28; Oc 49
- Subjective judgment, defects of Fe 51
- Tire effects, super-balloon Fe 22 A; 138, 143
- Vehicle design effects
  - Cars compared Fe 22 C; Mr 24
  - Cushion-seat springs Fe 22 D; 370
  - Springs, suspension
    - Criticism of 74
    - Deflection rate 175
    - Mounting 176
  - Wabblemeter measurement of Fe 51; Mr 24; Ap 18; Oc 49

Roads and Streets
- American Road Builders' Association convention Fe 48
- Construction costs
  - Federal appropriations 123
  - Investment in Fe 34; 169
  - Motor-truck contribution to Ap 14; 171
  - Taxation as source of Jn 28; Ap 14; 171; 292
- Construction machinery Jn 28; Mr 20; De 28
- Foreign, Canadian De 28
- Impacts
  - Axle, spacing effects 168, 171
  - Motor-truck 167, 171; Je 21
  - Multi-axle Je 21
  - Research Fe 43
  - Speed effects Je 20
  - Tire effects, balloon, high-pressure pneumatic and solid compared Je 20
- Snow removal machinery Mr 20
- Space occupied per passenger for various vehicle types My 33
- Spring, suspension, requirements affected by 341
- Surface, automotive operating costs affected by 171
- Thickness
  - Motor-truck effects on Ap 13; 171; Je 21
  - Requirements Fe 12; Ap 13; 171; Je 21
- Utilization research Fe 30, Fe 43; My 32
- Wear
  - Factors affecting Je 20
  - Motor-truck and passenger-car compared Jn 25; Fe 12; Ap 13; Je 21

PAGE

Rubber
  Automotive use of 66
  Engine mounting 9; Oc 18
  Seats Je 32
  Springs Je 32
  Tracks Se 35, Se 36, Se 37

S

S.A.E.
  Committees
    Administrative
      Constitution Fe 45
      Finance Fe 45
      House Fe 45
      Meetings Fe 27, Fe 31, Fe 41, Fe 45; Se 16
      Membership Fe 41, Fe 45
      Publication Fe 41, Fe 45
      Sections Jn 24; Fe 27, Fe 43, Fe 45
    Agricultural and Industrial Tractor De 17
    Automotive Transport Code Fe 44, Fe 47; 256
    Brake Ap 28; 298; Oc 11; No 24; De 17
    Coker F. Clarkson Memorial Fe 48
    Life membership Fe 47
    Manly Memorial Medal Board of Award Fe 19, Fe 48
    Military Motor Transport Advisory Fe 15, Fe 47
    Motorcoach and Motor-Truck Rating Fe 12, Fe 15, Fe 44, Fe 48; Mr 14, Mr 19; Ap 20
    Motor-Vehicle Code Fe 29; Oc 10
    Nominating Jn 24; Fe 13, Fe 15, Fe 16, Fe 18, Fe 22 B, Fe 22 D, Fe 25, Fe 27, Fe 29, Fe 31; Mr 20, Mr 21
    Ordnance Advisory Fe 48; Ag 24
    Placement Fe 31, Fe 48
    Professional Activities Fe 45
    Representatives on other organizations and committees Fe 48; Mr 22
    Research Fe 23, Fe 42, Fe 46
    Stock car contest Fe 48
    Wright Brothers Medal Board of Award Fe 19, Fe 48
  Council
    Meeting Fe 29; Ap 28; Jl 30; Ag 24; Oc 10
    Membership Fe 21
  Employment service Jn 22; Fe 31, Fe 40, Fe 43; Mr 17; Jl 19; No 17
  Finances Fe 44
  Legislation, relation to Fe 12, Fe 13; Ap 11; Je 30; 256; Oc 10, Oc 11; No 24; De 17
  Meetings
    Aeronautic Fe 41
    Aeronautical Chamber of Commerce cooperation Fe 41
    American Road Builders' Association cooperation Jn 14, Jn 28
    American Society of Mechanical Engineers cooperation Fe 41
    American Society for Testing Materials cooperation My 30
    Annual Jn 11, Jn 16; Fe 11, Fe 28, Fe 41; No 17, No 21, No 27, No 32; De 21, De 32
    Annual Business Session Fe 18, Fe 32
    Annual Dinner Jn 11, Jn 16; Fe 32, Fe 41; Oc 47; No 17, No 21, No 27; De 21, De 32
    Attendance Fe 41
    Engineering displays at Ag 16; Se 17; Oc 36; No 27; De 21
    Foreign cooperation Jl 19, Jl 26; Ag 16; Oc 10
    International Automotive Engineering Congress Ap 28; My 14; Je 18; Jl 19, Jl 24, Jl 26; Ag 16; Se 15, Se 16; Oc 9, Oc 36, Oc 48
    Motorboat Fe 41
    Motor-truck Executives of America cooperation Fe 48
    Production Fe 41
    Professional Activities cooperation Fe 41
    Sections cooperation Fe 41; Ag 26; Se 17; Oc 10; De 21
    Sections meetings Fe 43
    Sponsors Jl 25; Ag 16, Ag 26; Se 15, Se 39
    Summer Fe 29, Fe 31, Fe 41; Ap 28; My 14; Je 18
    Transportation Fe 41
  Membership
    Applicants for membership Jn 27; Fe 53; Mr 26; Ap 21; My 22; Je 23; Jl 32; Ag 32; Se 48; Oc 52; No 36; De 33
    Applicants qualified Jn 29; Fe 53; Mr 26; Ap 21; My 22; Je 23; Jl 32; Ag 32; Se 48; Oc 52; No 36; De 33
    Campaign for increase of Jn 22; Fe 40, Fe 41, Fe 43; Mr 17; Ap 17; My 23, My 27, My 28, My 29; Je 30, Je 31, Je 32; Jl 30; Ag 24; De 15, De 27, De 28

PAGE

S.A.E. (*Continued*)
  Life, awards of Fe 17
  Obituaries Jn 28; Mr 22; My 25; 226; Jl 29; Ag 31; No 35; De 20
  Personal notes Jn 27; Fe 52; Mr 23; Ap 24; My 24; Je 28; Jl 28; Ag 30; Se 31; No 33; De 18
  Report on Fe 41; Ag 24
National Recovery Administration cooperation No 17
Notes and reviews Jn 30; Fe 54; Mr 28; Ap 30; My 34; Je 34; Jl 34; Ag 34; Se 50; Oc 54; No 40; De 34
Officers
  List of Fe 20; Oc 27
  President Jn 16; Fe 29; My 27
  Vice-presidents Fe 20
Paper competition Jn 26
Professional Activities
  Aircraft Fe 18, Fe 45; My 14; Je 22; Oc 51; No 27; De 21
  Aircraft-Engine Fe 16, Fe 45; My 14; Je 22, Oc 48; No 27; De 21
  Diesel-Engine Fe 13, Fe 25, Fe 45; My 14; Oc 48; No 27; De 21
  Fuels and Lubricants Fe 12, Fe 26, Fe 27, Fe 29, Fe 45; Ap 28; My 14; Je 22; Oc 48, Oc 51; No 27; De 21
  Meetings assisted by Fe 41
  Motorcoach and Motor-Truck Fe 15, Fe 45; Mr 14; My 14; Je 19; Oc 11, Oc 49; No 27; De 21
  Passenger-Car Fe 22 B, Fe 45; My 14; Je 22; No 27, No 32; De 21
  Passenger-Car Body Fe 22 D, Fe 45; My 14; Je 22; De 21
  Production Fe 29, Fe 46; My 14; Oc 51; No 27; De 21
  Tractor Oc 10, Oc 46
  Traffic Safety and Administration Je 30
  Transportation and Maintenance Fe 13, Fe 46, Fe 48; Mr 14; Ap 28; My 14; Je 19, Je 22; Oc 51; No 27; De 21, De 26
Publications
  Journal Jn 15, Jn 16; Fe 36, Fe 41; Mr 13
  Roster Fe 41
  Transactions Fe 41
Research
  Committee meeting Oc 50
  Diesel-engine Fe 14
  Fuel, Diesel Oc 50; De 17
  Headlighting Fe 42
  Highways Fe 30, Fe 43; My 32
  Lubricants
    Extreme-pressure Jn 17; Fe 25, Fe 26, Fe 42; Ap 18; 218, Je 27; Oc 41, Oc 43, Oc 50; 402
    Oil stability No 32; De 16
  Riding-qualities Fe 22 B, Fe 22 C, Fe 43; Mr 24; Ap 18, Ap 28; Oc 49
  Value of Se 14
  Vapor lock Fe 42
  Wheel alignment Fe 22 B, Fe 43; Ap 18; Oc 50
Sections
  Annual report on Fe 43
  Baltimore Jn 24; Fe 50, Fe 51; Mr 20; Ap 26; My 30; Je 31; Ag 28; No 21; De 15, De 27, De 32
  Buffalo Jn 23, Jn 25; Fe 41; Mr 20; Ap 26; My 29; Je 31; Jl 31; Ag 28; No 29; De 15, De 27
  Canadian Fe 41, Fe 50; Mr 17, Mr 20; Ap 26; Je 32; Jl 30; Ag 28; No 21; De 15, De 28, De 32
  Chicago Jn 26; Fe 40; Mr 20; Ap 26; My 27, My 28; Jl 19, Jl 31; Ag 26, Ag 28; Se 17; Oc 10, Oc 47; No 21, No 29; De 26
  Cleveland Jn 24; Fe 41; Mr 20; Ap 26, Ap 27; My 29; Je 31; Jl 19; Ag 28; Oc 47; No 21; De 28, De 32
  Dayton Ap 26; Je 31; Ag 28; Oc 47; No 21; De 28, De 30, De 32
  Detroit Jn 23, Jn 26; Fe 40, Fe 41, Fe 43; Mr 20; Ap 26; Je 32; Jl 19; Ag 28; Oc 47; No 21, No 28; De 15, De 21, De 27, De 28, De 32
  Employment Service Jl 19
  Indiana Jn 26; Mr 17, Mr 20; Ap 26; My 27; Ag 28; Oc 47; No 21, No 31; De 27, De 32
  Kansas City Ap 26; My 27, My 28; Jl 31; Oc 47; No 21, No 29; De 30
  Meetings assisted by Fe 41; Ag 26; Se 17; Oc 10; De 21

Abbreviations Used:

January, Jn — April, Ap — July, Jl — October, Oc
February, Fe — May, My — August, Ag — November, No
March, Mr — June, Je — September, Se — December, De

PAGE

S.A.E. (*Concluded*)
- Metropolitan — Jn 25; Fe 34, Fe 40, Fe 41, Fe 43, Fe 49; Mr 20, Mr 21, Mr 22; Ap 26; My 29, My 30; Je 20, Je 30; Jl 19, Jl 30, Jl 31; Ag 24, Ag 28; Oc 47; No 17, No 21, No 27, No 30, No 31; De 15, De 26, De 28, De 32
- Milwaukee — Jn 24; Mr 20; Ap 26; My 27, My 28; Je 30; Ag 28, Ag 29; Oc 47; No 21, No 30; De 29, De 32
- New England — Jn 26; Mr 20, Mr 22; Ap 26; My 29; Jl 30; Ag 28; Oc 47; No 21, No 30; De 28, De 32
- Northern California — Ap 26; My 27, My 28; Ag 29; Oc 47; No 21, No 28, No 30; De 15
- Northwest — Jn 24; Fe 50; Mr 20, Mr 21; Ap 26, Ap 27; My 27, My 29; Je 31; Jl 31; Ag 29; No 21, No 30, No 31; De 29, De 32
- Officers — Ap 26; Je 30, Je 31, Je 32; Jl 30, Jl 31; Ag 28; No 28, No 29, No 30
- Oregon — Ap 26; My 27, My 29; Jl 30; Ag 27, Ag 29; No 21, No 30; De 29, De 30, De 32
- Philadelphia — Jn 22, Jn 26; Fe 40; Mr 20; Ap 17, Ap 26; My 27, My 29; Je 31; Jl 19; Ag 29; Oc 47; No 21, No 31; De 15, De 28, De 32
- Pittsburgh — Jn 25; Fe 51; Ap 26; My 31; Je 32; Ag 29; No 21, No 29; De 15, De 28, De 32
- Pontiac probationary — Ag 24
- Programs in — Fe 27
- St. Louis — Ap 26; My 27, My 28; Ag 29; De 30
- Southern California — Jn 26; Fe 40; Mr 20, Mr 21, Mr 22; Ap 26; My 27, My 28; Je 31; Jl 19, Jl 30; Ag 29; Oc 47; No 21, No 28; De 15, De 26, De 32
- Syracuse — Jn 25; Mr 20; Ap 26; Je 31; Ag 29; No 21; De 28, De 32
- Washington — Jn 26; Fe 49; Mr 20; Ap 26; My 30; Ag 27, Ag 29; No 21; De 15, De 29, De 32
- Wichita — Ap 26; My 27, My 28; Jl 31; Ag 29; No 21

Staff
- General Manager — My 27
- Journal editor — Fe 36
- Praise of — Jn 15

Student activities
- Annual Meeting session — No 27; De 21
- Annual report on — Fe 43
- Detroit — Jn 26; De 29
- Massachusetts Institute of Technology — Jn 26; Ap 27; My 29; No 30
- New York University — Ap 27; De 29
- Paper competition — Jn 26

U. S. Quartermaster General, cooperation with — My 32
Value of — No 28
(See also Standardization Activities, S.A.E.)

Screw-Thread Standardization — Jn 18; Fe 19; Mr 18

Shimmy and Tramp
- AN ANALYSIS OF TIRES AND WHEELS AS CAUSES OF "TRAMP" — 191
- Snaking compared with — 327, 330
- Steering gear damping — 329
- Suspension effects, independent wheel — 329
- Tire effects
  - Rolling radius variation — 192
  - Super-balloon — 139, 142
  - Unbalance — 192, 193; 328
  - Wheel unbalance — 328
- Tramp
  - Definition — Jn 26; 191
  - Manifestations — 192
  - Wheel rolling radius variation effects — 192
  - Wheel unbalance effects — 192, 193

Shock Absorbers
- Body and axle movements affected by — 174, 175, 176; 335
- Hydraulic
  - NEW FEATURES IN SHOCK ABSORBERS WITH INERTIA CONTROL — Fe 22 C; 172
  - Damping
    - Oscillation speed proportional to — 335, 339, 340, 342
    - Requirements — 173; 335, 339, 340, 342, 349
  - Liquid
    - Piston and vane type requirements — 173
    - Viscosity — 173
  - Piston type, vane type compared with — Fe 22 C; 172
  - Production, machine tool fixtures for — 62
  - Ride control, automatic
    - Inertia — 16; Fe 22 C; 174, 176
    - Shaft-velocity control — 16; 173, 175, 176
  - Temperature control, thermostatic — 16; 173
  - Testing — 63, 64; 176
  - Vane type, piston type compared with — Fe 22 C; 172

PAGE

Shock Absorbers (*Concluded*)
- Maintenance — 72
- Makes, Broulhiet — 342
- Production, hydraulic — 62
- Suspension, independent wheel, requirements — Oc 18, 334, 339, 340, 349
- Testing, hydraulic — 63, 64; 176

Six-Wheel Vehicles
- Army use of — Se 36, Se 37
- Axle spacing, impacts affected by — 168, 171
- Impacts
  - Axle spacing effects — 168, 171
  - Decrease due to — Je 21
- Weight, legal restrictions on — 169

Springs, suspension
- Coiled, usage extent — 333, 347, 349
- Deflection rate
  - Limitations on — 333
  - Riding-qualities affected by — 175
- Improvement needed — 74
- Independent wheel
  - INDEPENDENT WHEEL SUSPENSION — Jl 19; Oc 18, 325
  - Army combat car use of — Se 36
  - Chassis rigidity requirements — Oc 18, 331, 340, 341, 347
  - Engineering attitude toward — 339
  - Future predicted — 322; 341
  - History — 339
  - Merits — 27; 297; Oc 16; De 27
  - Public reaction to — Oc 18, 341
  - Road relation to — 341
  - Roadability improved by — 348, 349
  - Shimmy elimination — 330
  - Shock absorber requirements — Oc 18, 334, 339, 340, 349
  - Spring, suspension, requirements — Oc 18, 333, 339, 340, 348; De 27
  - Stability relation to — 335, 337, 347
  - Status — My 21; Jl 19
  - Steering system requirements — Oc 18, 329, 348
  - Tire wear relation to — 338, 349
  - Track variation in — 339
  - Types compared — Oc 18, 327, 335, 338, 347, 348, 349
  - Vibration preventive — 325, 340
  - Wheel alignment relation to — 338, 339
- Inter-leaf friction
  - Frictionless and self-damping compared — 334
  - Reduction necessary — Oc 18, 333, 339, 340, 347
- Makes
  - Adler — 329
  - Amédée Bolée — 341
  - Austra-Daimler — 347
  - Beck — 342
  - Broulhiet — 336, 338, 339, 346
  - Citroen — 335
  - Daimler-Benz — 347
  - Dubonnet — 336, 338, 347, 348
  - Gauthier — 342
  - Lancia — 333, 336, 338, 342
  - Lundelius and Eccleston — 348
  - Mase — 338
  - Peugeot — 335, 336, 338, 339, 340, 341, 342
  - Porsche — 333, 338, 339
  - Ram — 342
  - Sizaire — 329, 336, 338, 339, 342
  - Tatra — 347
- Mounting
  - Riding-qualities affected by — 176
  - Three vs. four-point — Fe 23; 74, 75
- Progress — 1
- Rubber as steel substitute — Je 3
- Shackles, progress in — 1
- Tank, army — Se 3
- Torsion type merits — 33
- Weight reduction necessary — 33

Springs, Valve
- Design requirements — 22
- Periodicity, importance of — 22
- Steel — 22
- Stress distribution — 22
- Surge prevention — 31
- Tension
- Valve rotation caused by — 22

Standardization
- American Standards Year Book — 23
- Fuel
  - Diesel — Fe 25; 20
  - International — Jl 2

PAGE

Standardization (*Concluded*)
Fan belt Jn 23
Merits Fe 22
(See also Standardization Activities, S.A.E.)
Standardization Activities, S.A.E.
STANDARDS GROUPS GO INTO ACTION WITH ENERGETIC 1933 PLANS Mr 18
Aircraft Jn 18; Mr 18
Aircraft-engine Mr 18
American Standards Association cooperation Fe 29, Fe 44, Fe 48; Mr 19; Ap 28; Jl 23; No 23; De 31
Army and Navy Joint Standards Conference cooperation Jn 18; Fe 48; Mr 18
Ball and roller bearing Jn 18; Fe 19; Oc 50
Bolt and nut Jn 18; Fe 19; Mr 18
Brake lining Mr 18; De 16
Chassis definition Fe 14
Committee
Membership Fe 46; Ap 28
Report Fe 29, Fe 43
Division Reports approved Fe 18, Fe 19
Electrical equipment, insulated cable Jn 18; Fe 19
Engine
Diesel Mr 18, Mr 19
Fan belt Mr 18
Testing forms Mr 18
Valve seat rings Mr 18
Handbook Jn 18; Fe 41, Fe 44; Mr 19, Ap 22; Oc 10
International Fe 44; Mr 18
Iron and steel
Cast iron Jn 18
Heat treatment definitions Jn 18
Marking code, colors for Mr 19; Je 24
Telegraphic code Jn 18; Mr 19
Lighting
Headlighting
Foreign compared with Ap 19
Laboratory test specifications Jn 18; Fe 19; Mr 18; Je 25; Jl 20; Oc 51; No 37
Multiple-beam Je 25; Jl 20; Oc 51; No 37
Lamp location Mr 19
Reflectors Jl 23
Turning signals Jl 23
Lubricant
Chassis lubricant Mr 18; Ap 18; Ag 24; Oc 49
Free wheeling Jn 18; Fe 19; Ap 18
Industrial Se 38
Oil viscosity, low temperature Ag 24; Oc 49; No 38
Temperature-viscosity chart Ag 24; Oc 48
Metric conversion factor Jn 18; Fe 19
Motorboat Mr 18, Mr 19; Oc 51; De 16
Motorcoach steering gear installation Je 25
Motor-truck
Chassis record form Mr 19
Dimensions Mr 19
Rating Fe 12, Fe 16; Mr 14, Mr 19; Ap 20; My 14; Jl 19; Oc 49
Steering gear installation Je 25
Tanks Fe 14, Fe 29; Mr 19; My 32; Ag 24; Oc 40
Weight Mr 19
Motor vehicle operating cost classification Mr 19
Nomenclature Mr 19
Non-ferrous metal Jn 18; Fe 19; Mr 18
Parts Mr 18
Passenger-car color Oc 48; De 25
Procedure Jn 18, Jn 19; Fe 44
Program Mr 18
Radio, automotive Mr 19; Ap 19; Je 12; No 31
Screw thread Jn 18; Fe 19; Mr 18
Spark plug terminals No 31
Specifications designation Mr 19; Ap 19
Steel Ag 17
Tire and Rim Association cooperation Fe 44
Tool Mr 19; No 32; De 31
Trailer coupling Jn 18; Fe 14, Fe 19; Mr 19
Value of Ag 17; Se 14
Steels
Automotive use of 66
Bodies Je 32
Cast iron compared with, physical properties Je 14

PAGE

Steels (*Concluded*)
Chrome-nickel molybdenum standardization Mr 18
Clutch pressure-plate use of Fe 22 B; 94, 95
Codes
Marking, colors for Mr 19; Je 24
Telegraphic Mr 19
Crankshaft material
Aircraft engine 386
Cast iron compared with Je 14
Engine, aircraft 386, 392
Failure causes Fe 50
Forging, physical properties affected by Jn 23
Gear Oc 39; 354, 355, 360, 361
Improvement desired 392
Nickel molybdenum standardization Mr 18
Physical properties
Cast iron compared with Je 14
Forging effects on Jn 23
Probability method of determining Mr 18
Railcar material Fe 15, 57, 58; No 31; De 14
Stainless, railcar material Fe 15, 57, 58
Testing Fe 50
Valve 225
Valve seat inserts 3; 225; De 28
Valve spring 225
Welded, machine tool material Fe 29, 61, 62, 63, 64; My 9, My 12
Wheels 14
Steering-Systems
Bearings, ball and roller 16; 280, 282
Braking effects on Oc 12
Design requirements 141
Efficiency requirements 141
Gear reduction-ratio
Requirements 141
Trends 16, 26
Improvements desired 297; Oc 15
Installation, clearance dimensions for Je 25
Power
Commercial vehicle use of 1, 16
Hydraulic 142; Ag 21
Recommendations for Fe 22 A; 141
Progress 16
Resistance, super-balloon tire effects 139, 141, 142
Shimmy damped by 329
Stabilizer, hydraulic 16
Suspension, independent wheel, requirements Oc 18, 329, 348
Tire effects, super-balloon 139, 141, 142; 329
Torque, super-balloon tire effects 329
Wheel pull
Bearing, cageless roller, reduction of 382
Requirements 141
Suspension, independent wheel, effects 329
Supercharging
Aircraft
Altitude performance 382, 383, 401
Brake mean effective pressure affected by 212, 214, 215
Centrifugal type merits 382, 394, 400
Design requirements De 30
Efficiency, centrifugal and Roots type compared 382
Engine structure limitations on 124, 126
Fuel consumption affected by 212, 214, 215
Function 381, 394, 400
Intake pressure effects 43, 44; 212, 214, 215
Propeller choice affected by 126
Roots type merits 211; 382
Turbo type merits 382, 383, 394, 401
Two-speed merits 382, 383, 394, 400
Automotive
Brake mean effective pressure increased by 323
Example of, Duesenberg 1, 6
Need for 322
Power increased by No 29
Centrifugal merits 382, 394, 400
Diesel engine use of No 30
Efficiency
Centrifugal and Roots type compared 382
Requirements 382, 400, 401
Roots type merits 211; 382
Testing, pressure gage for 249
Turbo type merits 382, 383, 394, 401

Abbreviations Used:

January, Jn	**April, Ap**	July, Jl	October, Oc
February, Fe	May, My	August, Ag	November, No
March, Mr	June, Je	September, Se	December, De

T

PAGE

Temperature
- Engine fuel-supply system 159
- Engine, aircraft, cylinders Fe 16
- Tire, motorcoach Fe 51

Testing
- Air conditions, humidity 249
- Aircraft
  - AIRPLANE FLIGHT TESTING FOR MAXIMUM SPEED Fe 16; 78
  - COMMERCIAL FLIGHT TESTS IMPROVED BY NEW EQUIPMENT AND METHODS Fe 16; 245
  - Climb 254
  - Flight Fe 16; 78; 245
  - Propellers
    - Blade angle measurement 250
    - Metal blades Oc 31
    - Variable pitch 254
  - Speed Fe 17; 78
  - Take-off 250, 253
  - Vibration 307, 312
  - Weight 246
  - Wind tunnel Oc 32, Oc 35
  - Wire tension 308
- Automobile
  - Streamlining Fe 22, Fe 22 B, Fe 28; 149, 177, 179, 185; Ag 27
  - Vibration 332
  - Wind resistance
    - Road 179, 185; 261, 262, 264, 265, 266
    - Wind tunnel Fe 22, Fe 22 B; 149; 177, 179, 185; 261, 262, 264, 265, 266
- Body ventilation Oc 25, Oc 26, Oc 27
- Brakes 201; Oc 11, Oc 12; No 24
- Carbureter temperature 249
- Dimensions, precision gages for De 28
- Engines
  - Friction Oc 42, Oc 43
  - Fuel consumption 363
  - Fuel supply systems, vapor handling capacity 157
  - Lubricating oil consumption Oc 42
  - Power losses Oc 23
  - Standard forms for Mr 18
- Engines, aircraft
  - Flame velocity Oc 29
  - Flight Fe 17; 81; 250, 255
  - French practice Oc 35
  - Improvement desired 392, 395
  - Power, flight testing of Fe 17; 81; 250, 255
  - Scavenging 211
  - Temperature, flight testing of 251
- Finishes
  - Color De 25
  - Criteria for Jn 23
- Fuels, Diesel Fe 25; 209; Oc 44, Oc 50; De 17
- Gasoline, gum content
  - TEMPERATURE EFFECT ON DETERMINATION OF GUM IN GASOLINE 283
  - Air jet 284, 290
  - Air oven 285, 287
  - Liquid bath 285, 287, 289
  - Steam bath 284, 287, 289, 291
- Headlighting, standard laboratory specifications for Jn 18; Fe 19; Mr 18, Mr 19; Je 25; Jl 20; Oc 51; No 37
- Laboratories, industrial, listed Je 11
- Lubricants
  - Extreme-pressure, load-carrying capacity, machines for
    - APPARATUS FOR DETERMINING LOAD-CARRYING CAPACITY OF EXTREME-PRESSURE LUBRICANTS Oc 41, Oc 43; 402
    - Bureau of Standards development Jn 17; Fe 25; Ap 18; 223; Je 27; Oc 41, Oc 43, Oc 50; 403
    - Comparison of types Jn 17; Fe 26; Ap 18; 218, 219, 222; Oc 41, Oc 43; 402
    - General Motors development My 31
  - Pour test significance My 30
  - Sludge formation Oc 43
- Radio antenna, automotive Je 13
- Shock absorbers, hydraulic, machines for 63, 64; 176
- Spark plugs, aircraft Oc 50
- Steel Fe 50
- Supercharger, pressure gage for 249
- Tractors, Army Se 37
- Welds Mr 21
- Wheel alignment Oc 50

(See also Detonation, Testing and Instruments)

Tires and Rims
- Automotive design affected by, super-balloon 26; 138
- Balance, tramp affected by 192, 193; 328
- Cost, super-balloon 140, 142

PAGE

Tires and Rims (*Concluded*)
- Friction coefficient with ground 298; Oc 12
- Fuel consumption affected by, super-balloon Fe 51; Oc 22; 408
- Impacts affected by, balloon, high-pressure pneumatic and solid compared Je 20
- Life, overloading effects Oc 21
- Motor-truck design affected by, pneumatic 167
- Noise, super-balloon Fe 22 A; 140, 142
- Pneumatic
  - Balloon
    - Impacts affected by Je 20
    - Motorcoach, usage extent 14
    - Motor-truck
      - Usage extent 14
      - Weight limitation affected by 257
    - Tractor, usage extent 14
  - Blow-outs, super-balloon risks Fe 22 A; 140, 142
  - Dual, width limitations affected by 256
  - Impacts affected by Je 20
  - Inflation pressure, racing Jl 16
  - Motorcoach
    - Temperatures in Fe 51
    - Usage extent 14
  - Motor-truck
    - Design affected by 167
    - Overloading effects Oc 21
    - Usage extent 14
    - Weight limitations affected by 257
    - Width limitations affected by 256
  - Railcar 14, 20; Fe 15, 54
  - Rim diameter practice 14
  - Super-balloon
    - FUTURE FOR LOW PRESSURE TIRES GRADUALLY GROWS BRIGHTER Fe 11, Fe 22 A; 138
    - Automobile design affected by 26; 138
    - Blow-out risk Fe 22 A; 140, 142
    - Cost 140, 142
    - Fuel consumption affected by Fe 51; Oc 22; 408
    - Future of 27; Fe 22 A; 140, 142, 143
    - Merits Jn 24; 297; Oc 16
    - Noise Fe 22 A; 140, 142
    - Progress 14
    - Replacement practice Mr 25; 142
    - Riding-qualities affected by Fe 22 A; 138, 143
    - Shimmy affected by 139, 142
    - Sizes Fe 51; Mr 25; 138, 140, 142
    - Skidding affected by Fe 22 A; 139
    - Speed affected by 139
    - Steering resistance affected by 139, 141, 142; 329
    - Traction affected by Fe 22 A, Fe 51; 139, 142
    - Wear Fe 51; 139, 142, 143
    - Wheel alignment affected by Fe 51; 139, 143
  - Tractor
    - Merits Oc 46
    - Usage extent 14
- Progress 14
- Racing performance Jl 16
- Replacement practice, super-balloon Mr 25; 142
- Riding-qualities affected by, super-balloon Fe 22 A; 138, 143
- Rolling radius variation, tramp cause 192
- Shimmy affected by
  - Balance 192, 193
  - Rolling radius variation 192
  - Super-balloon 139, 142
- Sizes, super-balloon Fe 51; Mr 25; 138, 140, 142
- Skidding affected by, super-balloon Fe 22 A; 139
- Solid
  - Impacts affected by Je 20
  - Weight limitations affected by 257
- Speed affected by, super-balloon 139
- Steering resistance affected by, super-balloon 139, 141, 142; 329
- Temperature, motorcoach Fe 51
- Traction affected by, super-balloon Fe 22 A, Fe 51; 139, 142
- Tubes, progress in 14
- Wear
  - Super-balloon tires Fe 51; 139, 142, 143
  - Suspension, independent wheel, relation to 338, 349
  - Wheel alignment relation to 338, 339, 347
- Weight limitations affected by 257
- Weight, racing Jl 16
- Wheel alignment relation to
  - Super-balloon Fe 51; 139, 143
  - Wear 338, 339, 347
- Width limitations affected by 256

Tools
- Axle housing production, rear 62
- Cylinder production 64
- Investment in Fe 37

PAGE

Tools (*Concluded*)
Machine
GOOD LOOKING MACHINE TOOLS HELP IN PRODUCTION, EXECUTIVES SAY My 9
SOME PRINCIPLES OF LOW-COST TOOLING Fe 29, 59; My 9; Ag 22
Appearance important My 9, My 10, My 13; Ag 23
Bearings, anti-friction 62; Ag 22
Body production Oc 24, 351
Cost Fe 29, 59; Ap 11; My 9, My 10, My 11, My 13; Ag 23; Se 30; Oc 18, Oc 24, 351; No 16
Depreciation Se 27, Se 29; Oc 38; 373
Flexible unit type Ag 22; Se 27
Fixtures
Accuracy promoting type 61
Clamping type 61
Self-contained operating type 62
Welding in production of Fe 29; 61, 62, 63, 64; My 9, My 12
Multiple-spindle merits 61; My 9
Number purchased Se 24
Service My 11, My 13
Simplification Fe 29, 59; Ap 11; My 9
Welding in production of Fe 29; 61, 62, 63, 64; My 9, My 12; Ag 22
Shock absorber production and testing 62, 63, 64
Standardization Mr 19; No 32; De 31
Twist drills No 32; De 31
Tractors, Army
Makes
Allis Chalmers Se 37, Se 38
Caterpillar Se 37
Cleveland Se 37, Se 38
International Harvester Se 37
Speed Se 38
Testing Se 37
Tracks, rubber used in Se 35, Se 36, Se 37
Tractors, Farm
TRENDS IN DESIGN AND RESEARCH RESULTS FEATURED AT TRACTOR SESSION Oc 46
Size, small, suggested 186
Tires, pneumatic 14; Oc 46
(See also Engines, Tractor)
Tractors, Industrial, Dumping Je 30
Trailers
Brakes, progress in 20
Coupling standardization Jn 18; Fe 14, Fe 19; Mr 19
Length, legislative restrictions on 256
Merits Oc 21
Payload, legislative restrictions on 169
Progress 20
Railcar Fe 15
Touring design requirements 296; Oc 15
Trains, legislative restrictions on 169
Weight, legislative restrictions on 169
Transmissions
CAN A TRANSMISSION HAVE A BRAIN? Je 9; Ag 17; Se 15
RECENT PROGRESS RAPID IN DESIGN OF AUTOMATIC TRANSMISSIONS 229
Automatic, infinitely variable
Bibliography 241
Definition Je 9, Je 11
Design requirements 318, 321
Efficiency 322
Electric
Design described 229
Merits 230, 243
Friction, design described 229
Fuel consumption affected by 184, 186; 237
Future predicted Mr 20
Hydraulic
Design described 231
Merits Je 11; 358
Merits Fe 22 A; Je 9, Je 11; 230, 240, 243, 244; Ag 17; Se 15; 358; De 27
Torque converter, mechanical 231
Weight 230, 243
Auxiliary units, motor-truck Ag 23
Bearings, ball and roller 1, 11; 276
Case insulation Oc 39; 360, 361, 362
Four-wheel drive
Armored car Se 35
Army development Se 35, Se 36, Se 37

PAGE

Transmissions (*Concluded*)
Lubrication Jl 18
Motor truck Se 36, Se 37
Free wheeling
Clutch, automatic and controlled, requirements for 96, 98, 103
Lubricant standardization Jn 18; Fe 19; Ap 18
Progress 11
Fuel consumption affected by
Automatic, infinitely variable 184, 186; 237
Gear reduction ratios Fe 22; 184
Lubricant Oc 23; 408
Gear reduction ratios
Fuel consumption affected by Fe 22; 184
Vehicle acceleration relation to 238
Vehicle speed relation to 238
Gears
Helical 1, 11; 353
Planetary Fe 50; 236, 243; 318, 321; Oc 16
Gearshifting
Automatic
Controls for Je 10
Designs described 231
Merits Je 10; 239
Pre-selective 318
Synchro-shift 11
Time required for 238
Lubrication
Four-wheel drive Jl 18
Free wheeling standardization Jn 18; Fe 19; Ap 18
Fuel consumption affected by Oc 23; 408
Makes
Cartercar 229
Constantinesco 230
Cutler Hammer 230
De Lavaud 230
Hele-Shaw 231
L.G.S. 12
Monodrive 236, 244
Owen magnetic 229
Spontan 230
Tyler 231, 233
Vickers-Coats 231
Wilson 318, 321
Motorcoach, progress in 11
Motor-truck
Auxiliary unit Ag 23
Four-wheel drive Se 36, Se 37
Multi-speed merits Oc 20
Production Ag 23
Mounting Oc 39, Oc 40; 358, 360, 361, 362
Production, motor-truck Ag 23
Progress in 11, 26
Noise
Case insulation as preventive Oc 39; 360, 361, 362
Chassis design and mounting effects Oc 39, Oc 40; 358, 360, 361, 362
Overspeed merits De 27
Speed numbers
Increase in 11
Multi-speed merits Oc 20
Standardization Mr 18
Weight, automatic, infinitely variable vs. conventional 230, 243
(See also Gears)
Transportation
FITTING TRANSIT EQUIPMENT TO ITS BEST JOB My 16
THE "FORGOTTEN MAN" IN TRANSPORTATION Se 22
WHAT THE TRAVELING PUBLIC WANTS IN THE FUTURE 293; Oc 15
Electric street railway
Field of My 16, My 18
Merits of My 33
Operating cost per passenger mile My 33
Street space occupied per passenger My 33
Equipment types, fields of, compared My 16, 165
History Se 13, 293; Oc 15
Railroad
Automobile competition with 295
Civilization influenced by 294
Fare reduction No 31; De 13, De 14
History 293; Oc 15
Improvement desired No 31; De 13
Land grants to Fe 28; Ap 14

Abbreviations Used:

January, Jn
February, Fe
March, Mr
April, Ap
May, My
June, Je
July, Jl
August, Ag
September, Se
October, Oc
November, No
December, De

PAGE

Transportation (*Concluded*)
- Legislation influenced by — Fe 12, Fe 34; Ap 12; Oc 13
- Motorcoach competition with — Fe 24
- Motor-truck competition with — Jn 25; Fe 12, Fe 24; Ap 14, 123; Se 22, 295
- Motor-truck cooperation with — Fe 35; 163
- Motor-vehicle cooperation with — 163
- Progress stagnation — 70; Se 13, 294; Oc 15
- Rate fixing — 55
- Taxation, motor-truck compared with — Fe 12; Ap 14
- Weight-payload ratio — 56

Steamship, lighter-than-aircraft compared with — Oc 30
Street space occupied per passenger — My 33
Subway-elevated field — My 18
Trackless trolley
- Field of — My 18
- Merits — My 20
- Size, operating costs influenced by — My 18

(See also Legislation, Railroad)

U

Universal Joints
- Bearings, ball and roller — 1, 12, 279, 282
- Progress — 1, 12

V

Valves and Valve Gear
- Successful Valve-Design Considerations — 224
- Actuating mechanisms
  - Overhead, push rod merits — 315
  - Push rod merits — 315, 385
  - Speed effects on — 385
- Aircraft engine
  - Actuating mechanisms
    - Push-rod merits — 385
    - Speed effects — 385
  - Sleeve valve merits — Oc 28; 390, 394, 401
  - Two vs. four — 385
- Cooling
  - Design for — 224
  - Exhaust, design for — 224
  - Seats — 3
  - Sodium — 386
- Exhaust
  - Cooling, design for — 224
  - Size, inlet valve compared with — 3; 224
- Guide clearance — 224; 315
- Lifters
  - Hydraulic — 1, 3
  - Rocker arm progress — 3
- Progress — 1, 3, 24, 27
- Seating, design for — 224
- Seats
  - Angle — **225**
  - Cooling — 3

PAGE

Valves and Valve Gear (*Concluded*)
- Inserts
  - Cast iron used in — 66; 225; De 28
  - Merits — 24, 27, 29, 31; 66, 72; De 28
  - Standardization — Mr 18
  - Steels used in — 3; 225; De 28
  - Valve seat wear reduced by — 66
- Rebuilding — 71; Mr 21
- Wear
  - Insert effect on — 66
  - Metal effect on — 66

Size, exhaust vs. inlet — 3; 224
Sleeve, aircraft engine use — Oc 28; 390, 394, 401
Steels — 3; 225; De 28
Stems
- Guide clearance — 224; 315
- Lubrication — 315
- Oil pumping prevented by — 3

Tappets, progress in — 3
Timing
- English practice — 315
- Importance of — 43, 44
- Overlap, brake mean effective pressure and fuel consumption affected by — 212, 214

(See also Springs, Valve)

W

Welding
- Clutch repair — 72
- Diesel engine repair — 259, 260
- Differential repair — 72
- Machine tool fixture production — Fe 29, 61, 62, 63, 64; My 9, My 12; Ag 22
- Railcar manufacture — No 31
- Testing — Mr 21
- Valve seat rebuilding — 71; Mr 21

Wheels
- Alignment
  - Camber
    - Practice — **13**
    - Tire effects, super-balloon — Fe 51; 139, 143
  - Measurement methods — Oc 50
  - Research — Fe 22 B, Fe 43; Ap 18
  - Specification data — Fe 43; Ap 18
  - Suspension, independent wheel, relation to — 338, 339
  - Tire effects, super-balloon — Fe 51; 139, 143
  - Tire wear affected by — 338, 339, 347
  - Toe-in
    - Practice — 13
    - Tire effects, super-balloon — 139, 143
- Balance, tramp cause — 192, 193; 328
- Disc vs. wire wind resistance — Jl 13, Jl 15
- Rolling radius variations, tramp cause — 192
- Steel, artillery type — 14
- Tractor, steel, vs. pneumatic tires — Oc 46
- Wind resistance affected by — Jl 13, Jl 15; 265

PAGE

25; De 28
72; De 28
Mr 18
25; De 28
66
71; Mr 21

66
66
3; 224
, 394, 401
25; De 28

224; 315
315
3
3

315
43, 44

212, 214

72
259, 260
72

12; Ag 22
No 31
Mr 21
71; Mr 21

13
; 139, 143
Oc 50
43; Ap 18
43; Ap 18
338, 339
; 139, 143
, 339, 347

13
139, 143
, 193; 328
l 13, Jl 15
192
14
Oc 46
Jl 15; 265